



5 X



10 X



Caractéristiques:

Logistique

EUROLITE LED Pixel Ball 360° 1m

Flexible LED pixel string

- 5 pixels, individually controllable
- 1 m long, flexible string
- Ultra-bright TCL LEDs for smooth RGB color mixing in lightweight, white plastic spheres
- 360° beam angle
- Modular concept allows build-up of large curtains for clubs, stages, shops and various other environments
- Individual control of static colors, RGB color mixture, internal programs, dimmer, strobe, Master/Slave
- Serial connection of 6 strings possible (30 pixels)
- Control of up to 150 pixels per LED PSU-5A Artnet/DMX controller (accessory)
- Control also possible per MADRIX, DMX and Artnet
- Commandé via stand-alone; Art-Net; DMX

EUROLITE LED PSU-5A Artnet/DMX

Control unit for EUROLITE LED Pixel Ball 360° 1m

- Create a RGB color mixing curtain with the decorative LED Pixel Ball strings
- For 150 pixels
- Serial connection possible

- Operable in stand-alone mode or via DMX and Art-Net
- Truss installation
- Comfortable addressing and setting via control panel with LCD display
- Built-in functions: static colors, internal programs, dimmer, strobe, Master/Slave, string length selection
- Master/Slave for parallel operation of several devices
- Number of DMX channels (8, 450) selectable for numerous applications
- Ready for connection via included IEC power cord with safety power plug
- Switch-mode power supply for operation between 100 and 240 Volts
- Feed-through output allows to power up to 8 devices
- Commandé via stand-alone; Art-Net; DMX

MADRIX KEY

MADRIX 5 KEY - sans licence

- Contient une MADRIX KEY vide
- Nécessite une licence MADRIX 5 pour déverrouiller les fonctionnalités ou la sortie du logiciel
- L'appareil peut être connecté au PC via USB,
- Made in Germany

MADRIX Licence Software 5 start

Licence MADRIX 5 "start"

- Contient 1 x licence "start" pour le logiciel MADRIX 5
- Nécessite impérativement une clé MADRIX KEY valide, vierge et métallique
- Peut envoyer jusqu'à 1024 canaux DMX
- Compatible avec Win 7, Win 8, Win 10,
- Made in Germany
- Développé en Allemagne
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

Données techniques:

Poids: 4,84 kg

EUROLITE LED Pixel Ball 360° 1m

Puissance totale de raccordement:	4 W
Commande:	Stand-alone; Art-Net; DMX
Angle de départ (1/2 pic):	360°
Dimension:	Hauteur : 105 cm Diamètre : Ø 5 cm
Poids:	0,22 kg
Number of pixels:	5
Pixel configuration:	TCL, SMD 5050 (2 per sphere)
Series connection:	30 pixels
Beam angle:	360°
Dimensions (L x D):	1050 x 50 mm

EUROLITE LED PSU-5A Artnet/DMX

Alimentation électrique:	100-240 V CA, 50/60 Hz
Puissance totale de raccordement:	80 W
Commande:	Stand-alone; Art-Net; DMX
Fixtures disponibles pour:	LED PC-Control 512
Dimension:	Longueur : 100 cm Profondeur : 7,5 cm Hauteur : 10 cm
Poids:	2,48 kg
Output voltage:	12 V AC
Outputs for pixel strings:	5
Pixel control:	max. 150
Serial connection:	yes
Number of DMX channels:	8/450
DMX connection:	3-pin XLR
Art-Net connection:	RJ45, CAT5e
Dimensions (L x W x H):	1005 x 75 x 100 mm

EUROLITE Fiche de terminaison pour LED Pixel Ball

Couleur du boîtier:	Noir
Poids:	0,02 kg

MADRIX KEY

Branchement électrique:	Alimentation électrique via USB A (M) version montage en surface Tramite
Port USB:	Type A
PC connect:	Via USB
Poids:	0,07 kg

MADRIX Licence Software 5 start

Canaux DMX:	Sortie 1024
Poids:	0,00 kg
Système d'exploitation:	Win 7, Win 8, Win 10,

Contenu de la livraison: