



**The article is no longer in our assortment.**

### Features:

#### ALUTRUSS TRILOCK 6082-2500 3-Way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection Set

#### ALUTRUSS TRILOCK 6082-3000 3-Way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection Set

#### ALUTRUSS TRILOCK 6082AL-31 3-Way Corner $\Lambda$ right

3-point truss system

### Logistic

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

**Package contents**

- 2 x connection Set

**ALUTRUSS TRILOCK 6082AL-32 3-Say Corner  $\Lambda$  left**

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

**Package contents**

- 2 x connection Set

**Technical specifications:**

---

Weight: 128,00 kg

---

**ALUTRUSS TRILOCK 6082-2500 3-Way Cross Beam**

Setup: Easy installation

---

Trusspipe: 50 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Color: Alu colored

---

Strut diameter x thickness: 16 x 2mm

---

Dimensions: Length: 2,5 m  
Width: 29 cm  
Height: 25,70 cm

---

Weight: 9,80 kg

---

**ALUTRUSS TRILOCK 6082-3000 3-Way Cross Beam**

Setup: Easy installation

---

Trusspipe: 50 mm x 2 mm

---

Welding technique: TIG-welding

---

Welding material: AlMg 5

---

Color: Alu colored

---

Strut diameter x thickness: 16 x 2mm

---

Dimensions: Length: 3 m  
Width: 29 cm  
Height: 25,70 cm

---

Weight: 10,7 kg

---

**ALUTRUSS TRILOCK 6082AL-31 3-Way Corner  $\Lambda$  right**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,1 kg

**ALUTRUSS TRILOCK 6082AL-32 3-Say Corner  $\Lambda$  left**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,20 kg