



Features:

FUTURELIGHT PRO Slim PAR-18 QCL RGBA

PRO slimline LED spot with 5 W 4in1 LEDs

- Equipped with 18 x 4in1 quadcolor LEDs in the colors red, green, blue and amber
- Flat housing form requires minimal space when rigging
- Extremely compact housing in a beautiful design
- Second mounting bracket for safe standing installation
- Locking possibility at the brackets with large metal butterfly screws
- Functions: static colors, RGBA color mixture, 11 preset color temperatures, automatic color change, built-in programs, dimmer, strobe effect, sound-control, Master/Slave operation
- 4, 6 or 10 DMX channels selectable
- Dimmer speed (step response) adjustable
- Sound-control via built-in microphone
- Microphone-sensitivity adjustable via rotary-control on the top panel
- Comfortable addressing and setting via Control Board with four operating buttons and LED display with four-digit 14-segment display
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 devices the fixtures must have a renewed connection with the power mains
- 18 LEDs
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX
- Fixtures available for Light J; Light Captain

Logistic

ROADINGER Flightcase 4x PRO Slim Size L

PRO flightcase for 4 x PRO Slim spotlight

- With accessory compartment
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

| | |
|------------------|--|
| Weight: | 32.50 kg |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

FUTURELIGHT PRO Slim PAR-18 QCL RGBA

| | |
|-------------------------|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 130 W |
| IP classification: | IP20 |
| Lamp type: | LED lamp |
| LED type: | 18 |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone; DMX |
| Fixtures available for: | Light'J; Light Captain |
| Beam angle (1/2 peak): | 17° |
| Housing color: | Black |
| Dimensions: | Width: 29.8 cm Depth: 10.7 cm Height: 32.3 cm |
| Weight: | 4.90 kg |
| DMX channels: | 4/6/10 |
| DMX connection: | 3-pin XLR |
| Sound-control: | via built-in microphone |
| LED type: | 5 W QCL |
| LED number: | 18 |
| Beam angle: | 17° |
| Dimensions (W x D x H): | 298 x 107 x 323 mm |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 4x PRO Slim Size L

| | |
|--------------------------|---|
| Maximum load: | 50 kg |
| Aluminum profile frames: | 30 mm |
| Case handle: | 2 pc/pcs |
| Stop hinge: | 2 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Black, laminated; dark brown, laminated |
| Compartment dimensions: | 12 cm x 37 cm x 32 cm |
| Middle compartment: | 14 cm x 37 cm x 32 cm |
| Inside dimensions: | 37 cm x 32 cm |
| Dimensions: | Width: 69 cm Depth: 41 cm Height: 44 cm |
| Weight: | 12.90 kg |

Scope of delivery: