



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED SLS-5 QCL 5x5W Floor

Slimline LED spot with 5 x 5 W 4in1 LED

- Equipped with 4in1 quadcolor LEDs for homogeneous light output in the colors red, green, blue and white
- Flat housing form requires minimal space when rigging
- Second mounting bracket for safe standing installation
- Comfortable addressing and setting via control panel with LED display
- Functions: Static colors, RGBW color blend, internal programs, dimmer, strobe, sound-control, sensitivity
- Further display settings: display on or off, display inverted, default settings
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Number of DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Ready for connection with power cord and safety plug
- Feed-through output allows to power up to 8 devices
- Switch-mode power supply for operation between 100 and 240 volts
- Control via Sound to light via Microphone
- Preprogrammed in Light`J; Light Captain

#### ROADINGER Flightcase 4x SLS Size M

Trunk case, PRO version

- Individually adjustable and removable dividers for universal use

### Logistic

- With 4 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	19,45 kg
<hr/>	
Legal specifications	
<hr/>	
Special product:	Not designed for household room illumination
<hr/>	
Intended use:	Show effect lighting
<hr/>	

### EUROLITE LED SLS-5 QCL 5x5W Floor

Power supply:	100-240 V AC, 50/60 Hz
<hr/>	
Power consumption:	24 W
<hr/>	
IP classification:	IP20
<hr/>	
DMX channels:	4
<hr/>	
Control:	Sound to light via Microphone
<hr/>	
Preprogrammed in:	Light J; Light Captain
<hr/>	
Beam angle (1/2 peak):	40°
<hr/>	
Dimensions:	Width: 23 cm Depth: 11 cm Height: 27 cm
<hr/>	
Weight:	2,95 kg
<hr/>	
DMX channels:	4/6/7
<hr/>	
DMX connection:	3-pin XLR
<hr/>	
Sound-control:	via built-in microphone
<hr/>	
LED type:	5 W QCL
<hr/>	
LED number:	5
<hr/>	
Beam angle:	40°
<hr/>	
Ventilation fan:	No
<hr/>	
Dimensions (W x D x H):	230 x 110 x 270 mm
<hr/>	
Legal specifications	
<hr/>	
Special product:	Not designed for household room illumination
<hr/>	
Intended use:	Show effect lighting
<hr/>	

### ROADINGER Flightcase 4x SLS Size M

Maximum load:	25 kg
<hr/>	

Aluminum profile frames:	30 mm
Case handle:	1 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 1 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	12 cm x 25 cm x 35,5 cm
Inside dimensions:	49,5 cm x 25 cm x 35,5 cm
Dimensions:	Width: 52,5 cm Depth: 28,5 cm Height: 44,5 cm
Weight:	7,65 kg