



The article is no longer in our assortment.

Features:

EUROLITE LED Pixel Tube 360° clear 0,5m

DMX LED tube for truss installation or ceilings

- Lightweight plastic tube
- 360° beam angle
- Equipped with 28 TCL LEDs, every tube is divided in 7 pixels with 4 LEDs each
- Functions: static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Controllable via EUROLITE LED PSU-24V/4 DC controller; needed for operating the unit and not included in the delivery
- 4 LED Pixel Tubes 360° can be used with one controller
- Ideal for discotheques and clubs
- Control via ArtNet; stand-alone; DMX

EUROLITE LED PSU-24V/4 DC LED Tube 360°

Controller for EUROLITE LED Pixel Tubes 360°

- Controller and power supply unit for 4 LED light tubes
- Color change adjustable; Dimmer electronic; color blend stepless
- Strobe effect
- Control via stand-alone; DMX; Sound to light via Microphone; Master/slave function
- 3 digit 7-segment LED display
- Preprogrammed in LED PC-Control 512

Package contents

- 1 x device, 1 x user manual, 1 x power cord

Logistic

Technical specifications:

Legal specifications

| | |
|------------------|--|
| Special product: | Not designed for household room illumination |
|------------------|--|

| | |
|---------------|----------------------|
| Intended use: | Show effect lighting |
|---------------|----------------------|

EUROLITE LED Pixel Tube 360° clear 0,5m

| | |
|--------------------|--------|
| Power consumption: | 5,00 W |
|--------------------|--------|

| | |
|----------|--------------------------|
| Control: | ArtNet; stand-alone; DMX |
|----------|--------------------------|

| | |
|------------------------|------|
| Beam angle (1/2 peak): | 360° |
|------------------------|------|

| | |
|-------------|--|
| Dimensions: | Length: 52,5 cm Depth: 5 cm Height: 5 cm |
|-------------|--|

| | |
|---------|-------|
| Weight: | 300 g |
|---------|-------|

| | |
|-----------|--------------|
| LED type: | SMD TCL 5050 |
|-----------|--------------|

| | |
|-------------|----|
| LED number: | 28 |
|-------------|----|

| | |
|-------------|------|
| Beam angle: | 360° |
|-------------|------|

| | |
|-------------------------|------------------|
| Dimensions (L x W x H): | 525 x 50 x 50 mm |
|-------------------------|------------------|

Legal specifications

| | |
|------------------|--|
| Special product: | Not designed for household room illumination |
|------------------|--|

| | |
|---------------|----------------------|
| Intended use: | Show effect lighting |
|---------------|----------------------|

EUROLITE LED PSU-24V/4 DC LED Tube 360°

| | |
|---------------|------------------------|
| Power supply: | 100-240 V AC, 50/60 Hz |
|---------------|------------------------|

| | |
|--------------------|---------|
| Power consumption: | 95,00 W |
|--------------------|---------|

| | |
|-------------------|--|
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
|-------------------|--|

| | |
|---------------|--|
| Power output: | 1 x IEC connector (F) mounting version |
|---------------|--|

| | |
|---------------|------------------------|
| DMX channels: | 5; 7; 14; 84; 192; 312 |
|---------------|------------------------|

| | |
|------------|------------------------------------|
| DMX input: | 1 x 3-pin XLR (M) mounting version |
|------------|------------------------------------|

| | |
|-------------|------------------------------------|
| DMX output: | 1 x 3-pin XLR (F) mounting version |
|-------------|------------------------------------|

| | |
|----------|--|
| Control: | Stand-alone; DMX; Sound to light via Microphone; Master/slave function |
|----------|--|

| | |
|-------------------|--------------------|
| Preprogrammed in: | LED PC-Control 512 |
|-------------------|--------------------|

| | |
|---------------------|---------|
| Maximum connection: | 4 tubes |
|---------------------|---------|

| | |
|---------------|-------------------------------|
| Display type: | 3 digit 7-segment LED display |
|---------------|-------------------------------|

| | |
|---------|----------|
| Output: | 24 V DC; |
|---------|----------|

| | |
|-------------|--|
| Dimensions: | Width: 24 cm Depth: 29 cm Height: 6 cm |
|-------------|--|

Weight:

2,05 kg
