



The article is no longer in our assortment.

Features:

EUROLITE PAR-56 Spot Short with Cable bk

PAR-56 housing with silicone cable and open cable ends

- Heat-resistant fixing screw
- The screw is protected against turning it too far out
- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Blackened tube for precise light output
- Strong cable tension relief
- With Mounting bracket
- For PAR 56

Package contents

- 1 x spotlight, 1 x filter frame, 1 x lamp clamping ring, 1 x user manual

Logistic

EUROLITE Raylight PAR-56,GY-9.5 Socket long

The alternative to traditional lamps

- Immediately and without changing the wiring, exchangeable by flanged on pin socket (GX 16) against a PAR-56 lamp
- Cost savings, as only the burner must be replaced at a lamp change
- Longlife lamp types (up to 2.000 h) also save time and money
- Low weight

GE M38 240V/300W GY-9.5 2000h

Studio-lamp for base GY9.5

- One-sided base

- Dimmable
- Hot restrike
- Very high color rendering index (CRI)
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 950 g

Legal specifications

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE PAR-56 Spot Short with Cable bk

Power supply: 230 V AC, 50 Hz

Power consumption: Max. 500 W

IP classification: IP20

Protection class: Protection class I

Suitable lamp: Max. 230 V/500 W PAR-56

Power connection: Fixed Supply cord with open wires

Cable length: Approx. 0,8 m

Base: GX16d

Lamp type: Selectable

Color generation: Via color filter frame

Housing color: Black

Attachment system: Mounting bracket

Material: Aluminum

Dimensions: Length: 26 cm
Width: 23,5 cm
Height: 22 cm

Weight: 810 g

Mounting bracket

Diameter mounting holes: 2 x Ø12mm

Material: Metal, 2 mm

Filter frame

Diameter mounting holes: 2 x Ø8mm

Grid size: 10 x 10 mm

Dimensions: Length: 21,5 cm
Width: 21,5 cm
Diameter: Ø 17,1 cm

Legal specifications

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE Raylight PAR-56,GY-9.5 Socket long

Power supply:	230 V AC, 50 Hz
Power consumption:	500 W
Base:	GY9.5; GX16d
Beam angle (1/2 peak):	NSP
Color:	Alu colored
Dimensions:	Diameter: Ø 17,5 cm
Weight:	120 g

GE M38 240V/300W GY-9.5 2000h

Operating voltage:	240 V, 220 - 240 V
Nominal wattage:	300 W
Base:	GY9.5
Lamp type:	Halogen lamp; clear lamp; high voltage lamp; halogen bulb
Lamp specification:	Dimmable Hot restrike
Beam angle:	310°
Color of light:	White
Color temperature:	2900K
Color rendering index (CRI):	100 Ra
Construction:	Bi pin
Operating temperature max.:	40° C
Operating temperature min.:	10° C
Burning position:	S180 (universal)
Lamp life:	2000 h
Luminous flux:	5500 lm
Dimensions (LxD):	80x29 mm
Weight:	20 g
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting