



**The article is no longer in our assortment.**

### Features:

#### FUTURELIGHT EYE-7 RGBW LED Moving-Head Beam

4in1 moving head beam with 15 W LEDs

- Equipped with 7 x 15 W quadcolor LED with RGBW colors (Osram)
- Compact housing
- Narrow illumination angle
- High PAN/TILT speed
- Supports RDM (Remote Device Management)
- 14, 16 or 22 DMX channels selectable
- Exact positioning via 16 bit PAN/TILT movement resolution, dimmer intensity and colors
- Master dimmer
- Color presets
- Stepless RGBW color mixture
- Strobe effect with adjustable speed
- Random strobe effect
- Automatic position correction
- PAN angle switchable between 540° and 630°
- Sound-controlled via built-in microphone
- Switch-mode power supply
- Automatic power supply adaption between 100 and 240 Volts without power selector
- Control board with graphic LCD display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT reverse, reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link

### Logistic

- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 device the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller

### ROADINGER Flightcase 6x EYE-7 RGBW

Trunk case with castors

- Compartments for 6 units and accessory
- Interior and cover upholstered with foam
- High-quality workmanship with multiplex birch wood, black laminated
- Aluminum profile frames (25 mm) with rounded edges
- Three-leg, large steel ball corners (chromium plated)
- 4 castors, 2 of which with locking brakes
- 2 large butterfly locks (without locking function)
- 4 hinged, chromium plated case handles
- Castors
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Technical specifications:

|                  |                                              |
|------------------|----------------------------------------------|
| Weight:          | 61,40 kg                                     |
| Special product: | Not designed for household room illumination |
| Intended use:    | Show effect lighting                         |

### FUTURELIGHT EYE-7 RGBW LED Moving-Head Beam

|                         |                                                   |
|-------------------------|---------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                            |
| Power consumption:      | 100,00 W                                          |
| Dimensions:             | Width: 17,9 cm<br>Depth: 35 cm<br>Height: 24,4 cm |
| DMX channels:           | 14/16/22                                          |
| DMX connection:         | 3-pin XLR                                         |
| Sound-control:          | via built-in microphone                           |
| Flash-rate:             | 18 Hz                                             |
| LED number:             | 7                                                 |
| LED type:               | 15 W QCL                                          |
| Beam angle:             | 7°                                                |
| Maximum PAN-movement:   | 630°                                              |
| Maximum TILT-movement:  | 270°                                              |
| Dimensions (L x W x H): | 244 x 179 x 350 mm                                |
| Weight:                 | 6 kg                                              |
| Special product:        | Not designed for household room illumination      |
| Intended use:           | Show effect lighting                              |

### ROADINGER Flightcase 6x EYE-7 RGBW

|                                 |                                                   |
|---------------------------------|---------------------------------------------------|
| Maximum load:                   | 100 kg                                            |
| Transport aid:                  | Castors                                           |
| Material:                       | Birch multiplex, 7 mm                             |
| Color:                          | Black, laminated                                  |
| Dimensions:                     | Width: 92 cm<br>Depth: 53,5 cm<br>Height: 57,5 cm |
| Weight:                         | 23 kg                                             |
| Strength:                       | 7 mm                                              |
| Outside dimensions (W x D x H): | 920 x 535 x 575 mm                                |
| Inside dimensions (W x D x H):  | 880 x 490 x 350 mm                                |
| Device compartment (W x D x H): | 255 x 245 x 315 mm                                |