eurolite®

EUROLITE Set EUROLITE LED Bar 18 TCL + Softbag









The article is no longer in our assortment.

Features:

EUROLITE LED BAR-18 TCL 18x3W

LED bar with 18 x 3 W RGB LED (3in1)

- Operable in stand-alone mode or via DMX
- DMX512 control possible via any commercial DMX controller
- 3, 5, 12 DMX channels selectable for various applications
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LCD-screen and four operating buttons
- Functions: Static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 18 x 3 W tricolor LEDs
- Hanging as well as standing installation possible
- Locking possibility at the mounting bracket
- IEC power cord with safety-plug included in delivery
- 18 powerful LEDs 3 W high-power 3in1 TCL RGB (homogenous color mix)
- Strobe effect
- Control via stand-alone; DMX
- Preprogrammed in Light'J; LED PC-Control 512
- With a beam angle of 16°

EUROLITE SB-12 Soft Bag

Practical black soft bag for LED bars (1 m length), adjustable divider

- Ideal for 1 or 2 LED bars with 1 meter length
- Made of easy-care nylon

Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- With divider
- With 2 device compartments
- High-quality workmanship with textile , black
- Interior with foam padding
- 2 carrying straps
- 1 x shoulder strap

Technical specifications:

Weight:	15,00 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE LED BAR-18 TCL 18x3W

Power supply:	230 V AC, 50 Hz
Power consumption:	130,00 W
IP classification:	IP20
Lamp type:	LED lamp
LED type:	18 x 3 W high-power 3in1 TCL RGB (homogenous color mix)
Control:	Stand-alone; DMX
Preprogrammed in:	Light'J; LED PC-Control 512
Beam angle:	16°
Beam angle (1/2 peak):	16°
Housing color:	Black
Dimensions:	Length: 113 cm Depth: 17 cm Height: 18 cm
Weight:	7,20 kg
DMX channels:	3/5/12
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	3 W TCL
LED number:	18
Beam angle:	16°
Dimensions (L x W x H):	1125 x 170 x 180 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE SB-12 Soft Bag

Maximum load:	20 kg
Carrying strap:	2 pc/pcs
Transport aid:	1 x shoulder strap

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Textile	
Black	
Width: 107 cm	
Depth: 17 cm	
Height: 18 cm	
0,60 kg	
-	Black Width: 107 cm Depth: 17 cm Height: 18 cm