

EUROLITE Set 4x AKKU Wash Spot, soft bag, charger

4 handy LED washlights in softbag (with integrated power charger)

Art. No.: 2000028

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE AKKU Wash 1 HCL Spot

Handy battery-powered LED washlight with 10 W 6in1 LED

- Powerful battery-powered LED washlight in small design
- With one bright 6in1 hexacolor LED in the colors red, green, blue, white, amber and UV
- Ideal for mobile use thanks to quick setup and rechargeable li-ion battery pack (up to 6 hours operating time)
- Magnetic base affixes to metal surfaces
- Movable and tiltable mounting bracket and scissor clip for easy attachment to drop ceiling supports
- Controllable via EUROLITE IR-7 remote control; included in delivery
- Functions: static colors, RGBAW+UV color mixture, automatic color change, fading colors, dimmer, strobe effect, sound-control
- Sound-control via built-in microphone
- Adjustable microphone sensitivity
- Charger included in the delivery
- Switch-mode power supply for operation between 100 and 240 volts
- Elegant white metal housing
- Transport bag with integrated multi-charger available as accessory
- The device is cooled by passive convection cooling
- Control via IR remote control; stand-alone
- Flicker-free
- With a beam angle of 22°

device

- Cordless, flexible and versatile
- Battery operation up to 6h depending on program used

Package contents

Logistic

- 1 x device, 1 x remote control

EUROLITE SB-4C softbag with charger

Soft bag with multi-charger for 4 AKKU washlights

- Black transport bag for 4 AKKU washlights
- Integrated multi-charger for easy charging of the fixtures
- With accessory compartment
- High-quality workmanship with textile , black
- Interior with foam padding

Technical specifications:

Weight: 5,02 kg

EUROLITE AKKU Wash 1 HCL Spot

Power consumption: 8,4 W

IP classification: IP20

Lamp type: LED lamp

Cooling: Passive convection cooling

Control: IR remote control; stand-alone

Projection: Flicker-free

Beam angle: 22°

Beam angle (1/2 peak): 22°

Beam angle (1/10 peak): 45°

Housing color: White

Dimensions: Width: 9,2 cm
Depth: 12,5 cm
Height: 20,5 cm

Weight: 980 g

Device

Battery pack type: 1 x lithium ion 7,4 V, 4400 mAh, 32,56 Wh

Battery pack: Battery operation up to 6h depending on program used

Recharging time 5h

Remote control

Battery: 1 x Button cell 3.0 V CR2025 lithium manganese built-in

Power supply: 8.4 V, 1.35 A via charger (100-240 V AC, 50/60 Hz)

Battery pack type: Li-ion 7.4 V, 4400 mAh (32.56 Wh)

Battery operation: 6 hours

Recharging time: 5 hours

Battery remote control: CR2025 button cell 3 V

Sound-control: via built-in microphone

LED type: 10 W HCL

LED number:	1
Beam angle:	22°
Dimensions (LxW):	205 x 92 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE SB-4C softbag with charger

Power supply:	100-240 V AC, 50/60 Hz 10 V DC 5 A
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Material:	Textile
Color:	Black
Dimensions:	Width: 70 cm Depth: 10 cm Height: 32 cm
Weight:	1,12 kg