



**The article is no longer in our assortment.**

## Features:

### ALUTRUSS DECOLOCK DQ3-1000 3-Way Cross Beam

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via quick lock conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Installation; Stage
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection Set

### ALUTRUSS DECOLOCK DQ3-2000 3-Way Cross Beam

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via quick lock conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available

## Logistic

- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Installation; Stage
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Package contents**

- 1 x connection Set

**ALUTRUSS DECOLOCK DQ3-PAL31 3-Way Corner 90°**

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via quick lock conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Installation; Stage

**Package contents**

- 2 x connection Set

**ALUTRUSS DECOLOCK DQ3-PAL32 3-Way Corner 90°**

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via quick lock conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Installation; Stage

**Package contents**

- 2 x connection Set

**ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE**

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via quick lock conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Installation; Stage

**ALUTRUSS DECOLOCK Single Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

**ALUTRUSS DECOLOCK Safety Pin**

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

## Technical specifications:

---

Weight: 55,43 kg

---

### ALUTRUSS DECOLOCK DQ3-1000 3-Way Cross Beam

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 1 m Width: 22 cm Height: 19,50 cm
Weight:	2,80 kg

---

### ALUTRUSS DECOLOCK DQ3-2000 3-Way Cross Beam

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 2 m Width: 22 cm Height: 19,50 cm
Weight:	4,61 kg

---

### ALUTRUSS DECOLOCK DQ3-PAL31 3-Way Corner 90°

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	2,65 kg

---

### ALUTRUSS DECOLOCK DQ3-PAL32 3-Way Corner 90°

Trusspipe:	35 mm x 2 mm
------------	--------------

---

Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	2,65 kg

#### **ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE**

Trusspipe:	35 mm; 35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Weight:	550 g

#### **ALUTRUSS DECOLOCK Single Pin**

Trusspipe:	35 mm
Color:	Alu colored
Weight:	10 g

#### **ALUTRUSS DECOLOCK Safety Pin**

Trusspipe:	35 mm
Color:	Alu colored
Weight:	3 g