


ALUTRUSS Truss set BILOCK BQ2 vertical 5x4x3m (WxDxH)

Art. No.: 20000069

GTIN:



The article is no longer in our assortment.

Features:

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection Set

Logistic

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection Set

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection Set

ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°

2-point truss system

- Low weight
- Easy installation
- Direction Vertical
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

Package contents

- 2 x connection Set

ALUTRUSS BILOCK Base Plate BLB male

- Trusspipe: 50 mm
- Made in Europe

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

QUICK-LOCK set

- Accessories for the robust truss system with Quick-Lock
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

Package contents

- 2 x splint, 2 x bolt

Technical specifications:

Weight:	68,97 kg
---------	----------

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 2 m Width: 29 cm Height: 5 cm
Weight:	4,89 kg

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 2,5 m Width: 29 cm Height: 5 cm
Weight:	5,3 kg

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 3 m Width: 29 cm Height: 5 cm
Weight:	6,22 kg

ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	3,2 kg

ALUTRUSS BILOCK Base Plate BLB male

Trusspipe:	50 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm

Weight:	650 g
---------	-------

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

Trusspipe:	50 mm
------------	-------

Color:	Alu colored
--------	-------------

Weight:	90 g
---------	------