


ALUTRUSS Truss set BILOCK BQ2 vertical 5x4x3m (WxDxH)

Art. No.: 20000069





The article is no longer in our assortment.

Features: Logistic

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

1 x connection set

ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°

2-point truss system

- Low weight
- Easy installation
- Direction vertical
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

Package contents

- 2 x connection set

ALUTRUSS BILOCK Base Plate BLB male

Trusspipe: 50 mmMade in Europe

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

QUICK-LOCK set

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

Package contents

- 2 x splint, 2 x bolt

Technical specifications:

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

| Setup: | Easy installation |
|-----------------------------|--------------------------------|
| Trusspipe: | 50 mm x 2 mm |
| Welding technique: | TIG-welding |
| Welding material: | AIMg 5 |
| Color: | Alu colored |
| Strut diameter x thickness: | 16 x 2mm |
| Dimensions: | Length: 200 cm Width: 29 cm |
| | Height: 5 cm |
| Weight: | 4,89 kg |

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

| Setup: | Easy installation |
|-----------------------------|-------------------|
| Trusspipe: | 50 mm x 2 mm |
| Welding technique: | TIG-welding |
| Welding material: | AIMg 5 |
| Color: | Alu colored |
| Strut diameter x thickness: | 16 x 2mm |
| Dimensions: | Length: 250 cm |
| | Width: 29 cm |
| | Height: 5 cm |
| Weight: | 5,3 kg |
| | |

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

| Setup: | Easy installation |
|-----------------------------|-------------------|
| Trusspipe: | 50 mm x 2 mm |
| Welding technique: | TIG-welding |
| Welding material: | AIMg 5 |
| Color: | Alu colored |
| Strut diameter x thickness: | 16 x 2mm |
| Dimensions: | Length: 300 cm |
| | Width: 29 cm |
| | Height: 5 cm |
| Weight: | 6,22 kg |
| | |

ALUTRUSS BILOCK BQ2-PAL31V 3-way Corner 90°

| Setup: | Easy installation |
|-----------------------------|-------------------|
| Trusspipe: | 50 mm x 2 mm |
| Welding technique: | TIG-welding |
| Welding material: | AIMg 5 |
| Color: | Alu colored |
| Strut diameter x thickness: | 16 x 2mm |
| Dimensions: | Length: 50 cm |
| | Width: 50 cm |
| | Height: 50 cm |
| Weight: | 3,2 kg |

ALUTRUSS BILOCK Base Plate BLB male

| Trusspipe: | 50 mm |
|-----------------------------|-------------|
| Color: | Alu colored |
| Strut diameter x thickness: | 16 x 2mm |

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

| Trusspipe: | 50 mm |
|------------|-------------|
| Color: | Alu colored |
| Weight: | 0,09 kg |