



**The article is no longer in our assortment.**

### Features:

#### ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

#### ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

#### ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

2-point truss system

### Logistic

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Package contents**

- 1 x connection set

**ALUTRUSS BILOCK BQ2-PAL31H 3-way Corner 90°**

2-point truss system

- Low weight
- Easy installation
- Direction horizontal
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

**Package contents**

- 2 x connection set

**ALUTRUSS BILOCK Base Plate BLB male**

- Trusspipe: 50 mm
- Made in Europe

**ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

QUICK-LOCK set

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

**Package contents**

- 2 x splint, 2 x bolt

**Technical specifications:**

---

Weight: 67,97 kg

---

**ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 200 cm Width: 29 cm Height: 5 cm
Weight:	4,89 kg

### **ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 250 cm Width: 29 cm Height: 5 cm
Weight:	5,3 kg

### **ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 300 cm Width: 29 cm Height: 5 cm
Weight:	6,22 kg

### **ALUTRUSS BILOCK BQ2-PAL31H 3-way Corner 90°**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	2,95 kg

### **ALUTRUSS BILOCK Base Plate BLB male**

Trusspipe:	50 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm

Weight: 0,65 kg

---

**ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

Trusspipe: 50 mm

---

Color: Alu colored

---

Weight: 0,09 kg

---