



**The article is no longer in our assortment.**

## Features:

### ALUTRUSS TRILOCK 6082-2000 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

### ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection set

### ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

3-point truss system

## Logistic

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Package contents**

- 1 x connection set

**ALUTRUSS TRILOCK 6082AL-33 3-way Corner V right**

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

**Package contents**

- 2 x connection set

**ALUTRUSS TRILOCK 6082AL-34 3-way Corner V left**

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

**Package contents**

- 2 x connection set

**ALUTRUSS TRILOCK Base Plate QTG-male**

- Trusspipe: 50 mm
- Made in Europe

**ALUTRUSS QUICK-LOCK Spare Pivot**

QUICK-LOCK spare pivot

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD/E-GL33/QL-ET34 system
- Trusspipe: 50 mm
- Made in Europe

**ALUTRUSS QUICK-LOCK Spare Pin**

QUICK-LOCK spare pin

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD/E-GL33/QL-ET34 system
- Trusspipe: 50 mm
- Made in Europe

**Technical specifications:**

---

Weight: 123,62 kg

---

**ALUTRUSS TRILOCK 6082-2000 3-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 200 cm Width: 29 cm Height: 25,70 cm
Weight:	8,20 kg

**ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 250 cm Width: 29 cm Height: 25,70 cm
Weight:	9,80 kg

**ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 300 cm Width: 29 cm Height: 25,70 cm
Weight:	10,7 kg

**ALUTRUSS TRILOCK 6082AL-33 3-way Corner V right**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored

Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,50 kg

#### **ALUTRUSS TRILOCK 6082AL-34 3-way Corner V left**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,45 kg

#### **ALUTRUSS TRILOCK Base Plate QTG-male**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0,94 kg

#### **ALUTRUSS QUICK-LOCK Spare Pivot**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0,04 kg

#### **ALUTRUSS QUICK-LOCK Spare Pin**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0,004 kg