

## EUROLITE Set PAR-16 Spot sil + GU-10 230V COB 7W 3000K

PAR-16 housing with GU-10 socket including special lamp for show effect lighting

Art. No.: 20000104

GTIN:



**The article is no longer in our assortment.**

### Features:

#### EUROLITE PAR-16 Spot GU-10 silver

PAR-16 housing with GU10 socket (with plug + cable)

- Mini-spot for GU-10 lamp
- Control via plug and play
- For PAR 16

#### Package contents

- 1 x spotlight, 1 x filter frame, 1 x user manual

### Logistic

#### OMNILUX GU-10 230V COB 7W 3000K

Special lamp for show effect lighting

- Spare lamp for Eurolite PAR-16 spots: 50850340 EUROLITE PAR-16 Spot GU-10 silver, 50850350 EUROLITE PAR-16 Spot GU-10 black, 50850352 EUROLITE PAR-16 Spot GU-10 white
- Hot restrike
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Technical specifications:

Weight:

310 g

**EUROLITE PAR-16 Spot GU-10 silver**

|                          |   |
|--------------------------|---|
| Power supply:            | 230 V AC, 50 Hz                                       |
| Power consumption:       | Max. 75 W   |
| IP classification:       | IP20  |
| Protection class:        | Protection class I                                    |
| Power connection:        | Fixed power supply cord with safety plug              |
| Cable construction:      | 3 x 0,75 mm <sup>2</sup> H05SS-F                      |
| Cable length:            | Approx. 0,4 m   |
| Base:                    | GU10  |
| Lamp type:               | Selectable  |
| Color generation:        | Via color filter frame                                |
| Control:                 | Plug and play   |
| Construction:            | PAR-16  |
| Housing color:           | Silver  |
| Material:                | Aluminum, 1 mm  |
| Slot for spot length:    | 8 cm x 8 cm   |
| Dimensions:              | Length: 17 cm<br>Width: 11 cm<br>Height: 13 cm        |
| Weight:                  | 280 g   |
| Mounting bracket         |   |
| Diameter mounting holes: | 2 x Ø10mm   |
| Material:                | Aluminum, 3 mm  |
| Filter frame             |   |
| Shape:                   | Octagonal   |
| Material:                | Aluminum  |
| Dimensions:              | Length: 7,7 cm<br>Width: 7,7 cm<br>Diameter: Ø 5,3 cm |
| Weight:                  | 10 g  |

**OMNILUX GU-10 230V COB 7W 3000K**

|                     |   |
|---------------------|---|
| Operating voltage:  | 230 V, 220 - 240 V                      |
| Nominal wattage:    | 7 W                                     |
| Base:               | GU10                                    |
| Lamp type:          | LED lamp; clear lamp; high voltage lamp |
| Lamp specification: | Hot restrike                            |
| Beam angle:         | 90°                                     |
| Color of light:     | White                                   |
| Color temperature:  | 3000K                                   |
| Lead time:          | 1 s                                     |
| Construction:       | Reflector; Bi pin                       |

|                                    |                  |
|------------------------------------|------------------|
| Operating temperature max.:        | 40° C            |
| Operating temperature min.:        | 20° C            |
| Burning position:                  | S180 (universal) |
| Lamp life:                         | 30000 h          |
| Luminous flux:                     | 530 lm           |
| Wavelength:                        | 605 nm           |
| Dimensions (LxD):                  | 72x51 mm         |
| Weight:                            | 30 g             |
| Legal specifications               |                  |
| Energy efficiency class (A++ - E): | A+               |