

## EUROLITE Set 2x LED THA-60PC + Case

2x PC spots with 60 W COB LED including PRO flightcase

Art. No.: 20000168

GTIN:



**List price: 1129.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED THA-60PC Theater-Spot

Spot with 60 W COB LED (RGBW) and plano-convex lens, extremely quiet, DMX

- With plano-convex lens
- Compact design
- 1 powerful LED 60 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix)
- The device is cooled by temperature-controlled fan
- Control via stand-alone; DMX
- Flicker-free
- With a beam angle of 7° - 48°
- With Mounting bracket
- LCD display
- Dimmer electronic; color change adjustable; color fade adjustable; dimmer curves with adjustable response; Dimmer speed (step response) adjustable
- Strobe effect
- Preprogrammed in Light´J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain
- Very quiet working noise
- For application areas such as: Clubs/dancing school; Trade fair and shop fitting; Stage; theater
- Application possibility: Suspended; on stand

#### Package contents

- 1 x spotlight, 1 x barn door, 1 x user manual, 1 x filter frame

#### ROADINGER Flightcase 2x THA-40 PC

Trunk case, PRO version

### Logistic

- With accessory compartment
- With 2 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight: 15,63 kg

---

### EUROLITE LED THA-60PC Theater-Spot

|                         |  |
|-------------------------|--|
| Power supply:           | 100-240 V AC, 50/60 Hz   |
| Power consumption:      | 60 W   |
| IP classification:      | IP20   |
| Power connection:       | Fixed power supply cord with safety plug   |
| LED:                    | 1 x 60 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix)  |
| DMX channels:           | 5; 6; 7  |
| DMX input:              | 1 x 3-pin XLR (M) mounting version   |
| DMX output:             | 1 x 3-pin XLR (F) mounting version   |
| Cooling:                | Temperature-controlled fan   |
| Control:                | Stand-alone; DMX   |
| Preprogrammed in:       | Light J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain |
| Projection:             | Flicker-free   |
| Beam angle:             | 7° - 48°   |
| Beam angle (1/2 peak):  | 7 - 39°  |
| Beam angle (1/10 peak): | 14 - 48°   |
| Housing color:          | Black  |
| Attachment system:      | Mounting bracket   |
| Display type:           | LCD display  |
| Dimensions:             | Length: 33,4 cm<br>Width: 19,6 cm<br>Depth: 17,3 cm  |
| Weight:                 | 3,74 kg  |
| Noise classification:   | Class 1 (very slight noise, suitable for noise-sensitive environments)   |
| Legal specifications    |  |
| Special product:        | Not designed for household room illumination   |
| Intended use:           | Show effect lighting   |

**ROADINGER Flightcase 2x THA-40 PC**

|                          |   |
|--------------------------|---|
| Maximum load:            | 50 kg   |
| Aluminum profile frames: | 25 mm   |
| Case handle:             | 2 pc/pcs  |
| Stop hinge:              | 2 pc/pcs  |
| Lock:                    | Butterfly lock: 2 pc/pcs                        |
| Use of brands:           | Branded hardware                                |
| Material:                | Birch multiplex, 7 mm                           |
| Color:                   | Dark brown, laminated                           |
| Device compartment:      | 16 cm x 31 cm x 12 cm                           |
| Accessory compartment:   | 10,5 cm x 31 cm x 18 cm                         |
| Inside dimensions:       | 60 cm x 31 cm x 20 cm                           |
| Dimensions:              | Width: 64,5 cm<br>Depth: 35 cm<br>Height: 29 cm |
| Weight:                  | 8,15 kg   |