

EUROLITE Set 6x LED TMH-7 + Case

6x compact washlight with 3 W tricolor LEDs and RGB color mixing including PRO flightcase

Art. No.: 20000198

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE LED TMH-7 Moving Head Wash

Compact washlight with 3 W 3in1 LEDs and RGB color mixing

- Equipped with 18 x 3 W tricolor LEDs with RGB colors
- Through the close chip placement of the multichip technology, an exquisite color mix even with short distances to the illuminated surface is provided
- Compact lightweight
- Positioning within 540° PAN and 180° TILT
- Stepless RGB color mixture
- 6 color macros can be called up via DMX controller
- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with 4-digit LED display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT Reverse, Reset
- DMX control via every standard DMX controller
- 18 powerful LEDs 3 W high-power 3in1 TCL RGB (homogenous color mix)
- Exact positioning (16 bit resolution)
- The device is cooled by cooling fan
- Control via DMX; stand-alone; Sound to light via Microphone
- Preprogrammed in Light J; LED PC-Control 512; Light Captain
- With a beam angle of 25°
- 4 digit 7-segment LED display

Package contents

Logistic

- 1 x moving light, 1 x user manual, 1 x power cord, 1 x mounting bracket, 2 x screw, 1 x safety eyelet

ROADINGER Flightcase 6x TMH-6/7/8/9

Trunk case, PRO version

- Detachable compartments - case can also be used as universal transport case
- With 6 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

| | |
|---------|----------|
| Weight: | 29,00 kg |
|---------|----------|

EUROLITE LED TMH-7 Moving Head Wash

| | |
|---------------|-----------------|
| Power supply: | 230 V AC, 50 Hz |
|---------------|-----------------|

| | |
|--------------------|------|
| Power consumption: | 75 W |
|--------------------|------|

| | |
|--------------------|------|
| IP classification: | IP20 |
|--------------------|------|

| | |
|-------------------|--|
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
|-------------------|--|

| | |
|------------|----------|
| Lamp type: | LED lamp |
|------------|----------|

| | |
|------|---|
| LED: | 18 x 3 W high-power 3in1 TCL RGB (homogenous color mix) |
|------|---|

| | |
|---------------------|--|
| Max. TILT movement: | 180° Exact positioning (16 bit resolution) |
|---------------------|--|

| | |
|--------------------|--|
| Max. PAN movement: | 540° Exact positioning (16 bit resolution) |
|--------------------|--|

| | |
|-------------|-----------|
| Flash rate: | 0 - 18 Hz |
|-------------|-----------|

| | |
|---------------|----|
| DMX channels: | 11 |
|---------------|----|

| | |
|------------|--------------------------------|
| DMX input: | 3-pin XLR (M) mounting version |
|------------|--------------------------------|

| | |
|-------------|--------------------------------|
| DMX output: | 3-pin XLR (F) mounting version |
|-------------|--------------------------------|

| | |
|----------|-------------|
| Cooling: | Cooling fan |
|----------|-------------|

| | |
|----------|---|
| Control: | DMX; stand-alone; Sound to light via Microphone |
|----------|---|

| | |
|-------------------|--|
| Preprogrammed in: | Light J; LED PC-Control 512; Light Captain |
|-------------------|--|

| | |
|-------------|-----|
| Beam angle: | 25° |
|-------------|-----|

| | |
|------------------------|-----|
| Beam angle (1/2 peak): | 25° |
|------------------------|-----|

| | |
|----------------|-------|
| Housing color: | Black |
|----------------|-------|

| | |
|---------------|-------------------------------|
| Display type: | 4 digit 7-segment LED display |
|---------------|-------------------------------|

| | |
|-------------|-----------------|
| Dimensions: | Width: 17,5 cm |
| | Depth: 17,5 cm |
| | Height: 24,5 cm |

| | |
|----------------------|--|
| Weight: | 3,10 kg |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 6x TMH-6/7/8/9

| | |
|--------------------------|---|
| Maximum load: | 50 kg |
| Aluminum profile frames: | 30 mm |
| Case handle: | 2 pc/pcs |
| Stop hinge: | 2 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Dark brown, laminated |
| Compartment dimensions: | 18 cm x 19,5 cm x 24 cm |
| Inside dimensions: | 57,5 cm x 41 cm x 24,5 cm |
| Dimensions: | Width: 61,5 cm Depth: 43 cm Height: 33,5 cm |
| Weight: | 10,40 kg |