

EUROLITE Set 4x LED TMH-7 + Case

4x compact washlight with 3 W tricolor LEDs and RGB color mixing including PRO flightcase

Art. No.: 2000202

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE LED TMH-7 Moving Head Wash

Compact washlight with 3 W 3in1 LEDs and RGB color mixing

- Equipped with 18 x 3 W tricolor LEDs with RGB colors
- Through the close chip placement of the multichip technology, an exquisite color mix even with short distances to the illuminated surface is provided
- Compact lightweight
- Positioning within 540° PAN and 180° TILT
- Stepless RGB color mixture
- 6 color macros can be called up via DMX controller
- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with 4-digit LED display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT Reverse, Reset
- DMX control via every standard DMX controller
- 18 powerful LEDs 3 W high-power 3in1 TCL RGB (homogenous color mix)
- Exact positioning (16 bit resolution)
- The device is cooled by cooling fan
- Control via DMX; stand-alone; Sound to light via Microphone
- Preprogrammed in Light J; LED PC-Control 512; Light Captain
- With a beam angle of 25°
- 4 digit 7-segment LED display

Package contents

Logistic

- 1 x moving light, 1 x user manual, 1 x power cord, 1 x mounting bracket, 2 x screw, 1 x safety eyelet

ROADINGER Flightcase 4x TMH-6/7/8/9

Trunk case, PRO version

- Detachable compartments - case can also be used as universal transport case
- With 4 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	19,15 kg
---------	----------

EUROLITE LED TMH-7 Moving Head Wash

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	75 W
--------------------	------

IP classification:	IP20
--------------------	------

Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
-------------------	--

Lamp type:	LED lamp
------------	----------

LED:	18 x 3 W high-power 3in1 TCL RGB (homogenous color mix)
------	---

Max. TILT movement:	180° Exact positioning (16 bit resolution)
---------------------	--

Max. PAN movement:	540° Exact positioning (16 bit resolution)
--------------------	--

Flash rate:	0 - 18 Hz
-------------	-----------

DMX channels:	11
---------------	----

DMX input:	3-pin XLR (M) mounting version
------------	--------------------------------

DMX output:	3-pin XLR (F) mounting version
-------------	--------------------------------

Cooling:	Cooling fan
----------	-------------

Control:	DMX; stand-alone; Sound to light via Microphone
----------	---

Preprogrammed in:	Light J; LED PC-Control 512; Light Captain
-------------------	--

Beam angle:	25°
-------------	-----

Beam angle (1/2 peak):	25°
------------------------	-----

Housing color:	Black
----------------	-------

Display type:	4 digit 7-segment LED display
---------------	-------------------------------

Dimensions:	Width: 17,5 cm
	Depth: 17,5 cm
	Height: 24,5 cm

Weight:	3,10 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 4x TMH-6/7/8/9

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 1 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	19 cm x 19 cm x 23 cm
Inside dimensions:	38 cm x 38 cm x 23 cm
Dimensions:	Width: 42,5 cm Depth: 42,5 cm Height: 32,5 cm
Weight:	6,75 kg