

EUROLITE Set 2x LED TMH-7 + Case

2x compact washlight with 3 W tricolor LEDs and RGB color mixing including PRO flightcase

Art. No.: 2000206

GTIN:



Features:

- Equipped with 18 x 3 W tricolor LEDs with RGB colors
- Through the close chip placement of the multichip technology, an exquisite color mix even with short distances to the illuminated surface is provided
- Compact lightweight
- Positioning within 540° PAN and 180° TILT
- Stepless RGB color mixture
- 6 color macros can be called up via DMX controller
- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with 4-digit LED display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT Reverse, Reset
- DMX control via every standard DMX controller
- 18 LEDs 3 W high-power 3in1 R/G/B (homogenous color mix)
- Exact positioning (16 bit resolution)
- The device is cooled by cooling fan
- Control via DMX; stand-alone; sound to light via microphone
- With a beam angle of 25°
- 4 digit 7-segment LED display
- <p>ROADINGER Flightcase 2x TMH-6/7/8/9
- <h2 class="featureSatz">Trunk case, PRO version</h2>Detachable compartments - case can also be used as universal transport case
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated

Logistic

- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

| | |
|---------|----------|
| Weight: | 10.35 kg |
|---------|----------|

EUROLITE LED TMH-7 Moving Head Wash

| | |
|-------------------------|--|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 75 W |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Lamp type: | LED lamp |
| LED type: | 18 x 3 W high-power 3in1 R/G/B (homogenous color mix) |
| Max. TILT movement: | 180° exact positioning (16 bit resolution) |
| Max. PAN movement: | 540° exact positioning (16 bit resolution) |
| Flash rate: | 0 - 18 Hz |
| DMX channels: | 11 |
| DMX input: | 3-pin XLR (M) mounting version |
| DMX output: | 3-pin XLR (F) mounting version |
| Cooling: | Cooling fan |
| Control: | DMX; stand-alone; sound to light via microphone |
| Fixtures available for: | Light J; LED PC-Control 512; Light Captain |
| Beam angle (1/2 peak): | 25° |
| Housing color: | Black |
| Display type: | 4 digit 7-segment LED display |
| Dimensions: | Width: 17.5 cm Depth: 17.5 cm Height: 24.5 cm |
| Weight: | 3.10 kg |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 2x TMH-6/7/8/9

| | |
|--------------------------|-------|
| Maximum load: | 25 kg |
| Aluminum profile frames: | 30 mm |

| | |
|-------------------------|---|
| Case handle: | 1 pc/pcs |
| Stop hinge: | 2 pc/pcs |
| Lock: | Butterfly lock: 1 pc/pcs |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Dark brown, laminated |
| Compartment dimensions: | 18 cm x 18 cm x 23.5 cm |
| Inside dimensions: | 37 cm x 18 cm x 23.5 cm |
| Dimensions: | Width: 41 cm Depth: 22 cm Height: 33.5 cm |
| Weight: | 4.15 kg |

Scope of delivery:

- 1 x moving light
- 1 x user manual
- 1 x power cord
- 1 x mounting bracket
- 2 x screw
- 1 x safety eyelet