

EUROLITE Set 5x LED SLS-603 + Soft Bag

5x flat spotlight with 5x 3 W 3in1 LED including practical black soft bag

Art. No.: 20000221

GTIN:



List price: 474.81 €

incl. 19% VAT.

Features:

EUROLITE LED SLS-603 TCL + UV Floor

Flat spotlight with 5 x 3 W 3in1 LED (RGB) and one 3 W UV LED, incl. IR remote control

- Slim design for space-saving applications
- DMX and power terminals intelligently designed for easy wiring
- 6 powerful LEDs 3 W high-power 4in1 QCL RGB/UV (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic
- UV effect; strobe effect
- Integrated show programs
- The device is cooled by cooling fan
- Control via stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function
- Preprogrammed in Light'J; LED PC-Control 512; LED EASY OPERATOR DELUXE; Light Captain; Colorchief
- With a beam angle of 11°
- With double bracket
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- Application possibility: Standing; suspended; on stand
- For application areas such as: Clubs/dancing school; wedding/gala/events; party room; mobile djs / entertainer

Package contents

- 1 x spotlight, 1 x power cord, 1 x remote control, 1 x battery, 1 x user manual

Logistic

EUROLITE SB-18 Soft Bag

Practical soft bag for 4 PRO Pixel Slim PAR-12/ SLS-400

- Made of easy-care nylon
- With Outside pocket
- With dividers
- With 5 device compartments
- High-quality workmanship with textile , black
- Interior with foam padding
- 2 carrying straps

Technical specifications:

| | |
|---------|---------|
| Weight: | 7,67 kg |
|---------|---------|

EUROLITE LED SLS-603 TCL + UV Floor

| | |
|-------------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 20 W |
| IP classification: | IP20 |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Power output: | 1 x IEC connector (F) mounting version |
| Lamp type: | LED lamp |
| LED type: | 6 x 3 W high-power 4in1 QCL RGB/UV (homogenous color mix) |
| DMX channels: | 4; 8 |
| DMX input: | 1 x 3-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | 1 x cooling fan |
| Control: | Stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function |
| Preprogrammed in: | Light´J; LED PC-Control 512; LED EASY OPERATOR DELUXE; Light Captain; Colorchief |
| Beam angle: | 11° |
| Beam angle (1/2 peak): | 11° |
| Beam angle (1/10 peak): | 28° |
| Housing color: | Black |
| Attachment system: | Double bracket |
| Display type: | 4 digit 7-segment LED display |
| Material: | Plastic; metal; ABS Acrylonitrile butadiene styrene |
| Dimensions: | Width: 23 cm Depth: 11 cm Height: 23 cm |
| Weight: | 1,41 kg |
| Noise classification: | Class 2 (slight noise) |
| Photobiological safety: | Risk Group 0 |
| Power cord | |

| | |
|--------------------------|---|
| Cable construction: | 3 x 0,75 mm² H05VV-F |
| Cable length: | Approx. 1,1 m |
| Mounting bracket | |
| Diameter mounting holes: | 5 x Ø11mm |
| Material: | Metal, 2 mm |
| Color: | Black |
| Remote control | |
| Battery: | 1 x button cell 3.0 V CR2025 lithium manganese built-in |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE SB-18 Soft Bag

| | |
|-----------------|---------------|
| Maximum load: | 25 kg |
| Carrying strap: | 2 pc/pcs |
| Material: | Textile |
| Color: | Black |
| Dimensions: | Width: 47 cm |
| | Depth: 24 cm |
| | Height: 30 cm |
| Weight: | 0,60 kg |