

## FUTURELIGHT Set 4x Wave LED Moving Bar + Case

4x PRO Moving Head with two tiltable LED bars including PRO flightcase with wheels

Art. No.: 20000236

GTIN: 4026397593570



**The article is no longer in our assortment.**

### Features:

#### FUTURELIGHT Wave LED Moving Bar

PRO moving-head with two tiltable LED bars and six powerful, white beams

- TILT movement for each LED bar separately and steplessly adjustable
- Individual control of each LED
- Perfect as beam effect into the audience
- Narrow beam angle
- Built-in programs
- Shutter sequences
- Electronic dimmer (0-100%)
- Automatic position correction
- Random strobe effect
- Stand-alone, master/slave and DMX mode
- Control panel with LC display for easy configuration
- Built-in scene memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link
- 6 powerful LEDs 20 W high-power cold white (CW)
- PAN angle switchable between 540° and 630°
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Fan effect
- The device is cooled by temperature-controlled fan
- Control via RDM; DMX; stand-alone; Sound to light via Microphone
- Preprogrammed in LED PC-Control 512; Light Captain; Light 'J
- With a beam angle of 2,5°

### Logistic

EAN / GTIN: 4026397593570

## ROADINGER Flightcase 4x Wave

PRO flightcase for 4 x FUTURELIGHT Wave LED moving-bar

- With 4 Device compartments
- With accessory compartment
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 8 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- 4 castors with 2 locking brakes
- 4 built-in stacking trays in the cover
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

### FUTURELIGHT Wave LED Moving Bar

|                        |   |
|------------------------|---|
| Power supply:          | 100-240 V AC, 50/60 Hz  |
| Power consumption:     | 200 W   |
| IP classification:     | IP20  |
| Power connection:      | Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided) |
| Power output:          | 1 x PowerCON (gray), mounting version   |
| Lamp type:             | LED lamp  |
| LED:                   | 6 x 20 W high-power cold white (CW)   |
| Max. TILT movement:    | 240° Exact positioning (16 bit resolution) Auto position correction (feedback)                  |
| Max. PAN movement:     | 540°, 630° Exact positioning (16 bit resolution) Auto position correction (feedback)            |
| Flash rate:            | 0 - 20 Hz   |
| DMX channels:          | 14; 15; 17; 18  |
| DMX input:             | 1 x 3-pin XLR (M) mounting version<br>1 x 5-pin XLR (M) mounting version                        |
| DMX output:            | 1 x 3-pin XLR (F) mounting version<br>1 x 5-pin XLR (F) mounting version                        |
| Cooling:               | Temperature-controlled fan  |
| Control:               | RDM; DMX; stand-alone; Sound to light via Microphone  |
| Preprogrammed in:      | LED PC-Control 512; Light Captain; Light´J  |
| Beam angle:            | 2,5°  |
| Beam angle (1/2 peak): | 2,5°  |
| Housing color:         | Black   |
| Dimensions:            | Width: 46,8 cm<br>Depth: 25 cm<br>Height: 32,5 cm   |
| Weight:                | 10,60 kg  |

Legal specifications

---

|                  |  |
|------------------|--|
| Special product: | Not designed for household room illumination |
| Intended use:    | Show effect lighting                         |

---

**ROADINGER Flightcase 4x Wave**

---

|                          |   |
|--------------------------|---|
| Maximum load:            | 100 kg  |
| Aluminum profile frames: | 30 mm   |
| Case handle:             | 8 pc/pcs  |
| Stop hinge:              | 2 pc/pcs  |
| Lock:                    | Butterfly lock: 2 pc/pcs  |
| Transport aid:           | 4 x castors with 2 locking brakes<br>4 x built-in stacking trays in the cover |
| Use of brands:           | Branded hardware  |
| Material:                | Birch multiplex, 7 mm   |
| Color:                   | Dark brown, laminated   |
| Middle compartment:      | 10 cm x 50 cm x 32,5 cm   |
| Device compartment:      | 49 cm x 25 cm x 32 cm   |
| Inside dimensions:       | 1,08 m x 50 cm x 32,5 cm  |
| Dimensions:              | Width: 1,15 m<br>Depth: 61,5 cm<br>Height: 57 cm                              |
| Weight:                  | 26,70 kg  |

---