

OMNITRONIC Set DD-5220L Turntable bk + Case tour Pro black -B-

Direct drive DJ turntable "Ultra Torque" with matching flightcase

Art. No.: 2000303

GTIN:



Features:

- Direct drive high-torque motor Quartz-controlled for highest speed precision
- 3 speeds (33 1/3, 45 and 78 RPM), pitch control $\pm 10\%$, $\pm 20\%$, $\pm 50\%$
- Selectable quartz-controlled pitch lock
- Quick start
- Adjustable start/stop time
- 2 large start/pause buttons
- Reverse run
- Plug-in LED target lamp
- Adjustable anti-skating
- Tone arm height adjustable
- Shock-absorbing and adjustable feet
- Switchable phono/line output
- Extremely resonance-free due to optimally combined components
- Platter and motor are directly connected for highest stability
- Recessed connections for easy case mounting
- Delivery includes headshell, slipmat and RCA cable
- Dust cover and pick-up system optionally available
- Pitch range: $\pm 10\%$, $\pm 20\%$, $\pm 50\%$
- **ROADINGER Turntable Case Tour Pro black -B-**
- **High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated**
- Interior with foam padding
cover with foam padding
- Removable cover
- Aluminum profile frames 25mm with rounded edges
- Hinged, chromium plated case handle
- 2 high-quality butterfly locks with shut-off function

Logistic

- Rubber feet
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 17.80 kg

OMNITRONIC DD-5220L Turntable bk

Power supply: 230 V AC, 50 Hz

Power consumption: 15.00 W

Protection class: Protection class I

Power connection: Fixed power supply cord with Euro plug

Frequency range: 20 - 20000 Hz

Drive type: Quarz-controlled direct drive
Brushless DC motor

Drive: Initial torque: 4.5 kg/cm
Start time: 0.2 - 6 sec, adjustable
Stop time: 0.2 - 6 sec, adjustable
Speed change time: <1s 1kHz 5cm/sec

Wow and flutter: <0.1 % WRMS

Rumble: 60 dB DIN B

Speed: 33 RPM; 45 RPM; 78 RPM forward/backward

Tone arm: S-shape with Cardan's suspension
Length: 230
Tonearm height: 8 - 10.5 mm adjustable
Overhang: 15 mm
Stylus pressure: 0-4 g, adjustable

Output level: Phono 1.5-3.6 mV/ 1 kHz 5 cm/sec
Line 90-216 mV/ 1 kHz 5 cm/sec

Connections: Output: line/phono via 1 x stereo RCA

Pitch range: $\pm 10\%$, $\pm 20\%$, $\pm 50\%$

Dimensions: Width: 45 cm
Depth: 35.3 cm
Height: 15.6 cm

Weight: 11.30 kg

Material: Metal

Dimensions: Diameter: \varnothing 33.2 cm

Weight: 1.425 kg

ROADINGER Turntable Case Tour Pro black -B-

Maximum load: 20 kg

Removable covers: 1 pc/pcs

Aluminum profile frames: 25 mm

Case handle: 1 pc/pcs

Lock:	Butterfly lock: 2 pc/pcs with shut-off function
Transport aid:	Rubber feet
Material:	Plywood multi-layer glued, 7 mm
Color:	Black, laminated
Device compartment:	45 cm x 35.5 cm x 12 cm
Dimensions:	Width: 53.5 cm Depth: 45.5 cm Height: 23 cm
Weight:	6.50 kg

Scope of delivery:

- 1 x device
- 1 x power cord
- 1 x turntable platter
- 1 x felt mat
- 1 x shellset
- 1 x balance weights
- 1 x plug (male)
- 1 x adapter
- 1 x RCA cable
- 1 x user manual