



## ALUTRUSS Truss set QUADLOCK 6082R U-Figure 7x4x3.5m (WxDxH)

Three-sided Quadlock exhibition stand

Art. No.: 2000384

GTIN:



**List price: 6603.31 €**

incl. 19% VAT.

### Features:

#### ALUTRUSS QUADLOCK 6082-3000 4-Way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x connection Set

#### ALUTRUSS QUADLOCK 6082C-21R 2-Way Corner 90°

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

### Logistic

**Package contents**

- 1 x connection Set

**ALUTRUSS QUADLOCK 6082C-30R 3-Way Corner 90°**

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

**Package contents**

- 2 x connection Set

**ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

QUICK-LOCK set

- Accessories for the robust truss system with Quick-Lock
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

**Package contents**

- 2 x splint, 2 x bolt

**ALUTRUSS QUADLOCK End Plate QQGP-Male M-10**

Baseplate for mobile use (connectors 6082 included)

- Easy installation
- The article is delivered pre-assembled
- Trusspipe: 50 mm
- Made in Europe
- Application possibility: Standing

**half cone**

- M10 thread

**Package contents**

- 1 x plate, 4 x half cone

**Technical specifications:**

---

Weight: 147,44 kg

---

**ALUTRUSS QUADLOCK 6082-3000 4-Way Cross Beam**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Alloy:	AlMgSi1 T6
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 3 m Width: 29 cm

	Height: 29 cm
Weight:	14,2 kg

#### **ALUTRUSS QUADLOCK 6082C-21R 2-Way Corner 90°**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 29 cm
Weight:	5,30 kg

#### **ALUTRUSS QUADLOCK 6082C-30R 3-Way Corner 90°**

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	8,15 kg

#### **ALUTRUSS QUICK-LOCK Spare Pivot with Pin**

Trusspipe:	50 mm
Color:	Alu colored
Weight:	90 g

#### **ALUTRUSS QUADLOCK End Plate QQGP-Male M-10**

Setup:	Easy installation
Trusspipe:	50 mm
Material:	Aluminum
Color:	Alu colored
Dimensions:	Length: 30,7 cm Width: 30,7 cm Height: 5 cm
Weight:	1,55 kg
Half cone	
Thread:	M10 thread