

OMNITRONIC Set PM-222 + 2x XMT-1400

2-channel DJ mixer including 2x DJ player for CD, USB and SD

Art. No.: 2000397

GTIN:



The article is no longer in our assortment.

Features:

OMNITRONIC PM-222 2-Channel DJ Mixer

2-channel DJ mixer

- 2 input channels with gain control, 2-way equalizer and phono/line switching
- DJ microphone input with separate level control
- Pre-fader listening (CUE) to the input channels via adjustable headphones output, with cue mix control
- Replaceable crossfader for crossfading between both channels
- 6-digit stereo LED level meter and master level control
- Outputs: master and record (stereo RCA)
- Desktop console housing
- For application areas such as: Clubs/dancing school; mobile djs / entertainer; Installation

Package contents

- 1 x user manual, 1 x power cord, 1 x mixer

Logistic

OMNITRONIC XMT-1400 Tabletop CD Player

DJ player for CD, USB and SD

- Audio CD, CD-R, CD-RW, MP3 CD
- USB port for storage media and portable players
- SD(HC) card slot
- Anti-shock RAM buffer memory
- Touch-sensitive scratch jog dial with mode selector: pitch bend, scratch, fast or frame search
- Reverse run
- Brake effect (as with analog turntables)
- Comfortable track selection via 10-digit numerical track input

- Folder navigation
- Search buttons for fast forward and reverse
- Pitch adjustment $\pm 4\%$, $\pm 8\%$, $\pm 12\%$, $\pm 16\%$
- Pitch bend via jog dial or separate buttons
- Manual beatcounter
- Instant start and cue function with preview
- Double loop/reloop function
- Single or continuous play
- Repeat functions
- Title programming
- Bargraph display
- Pitch adjustment is displayed in %
- Extra-large play/pause and cue buttons with color illumination
- Multicolor VFD display
- Pitch range: $\pm 4\%$, $\pm 8\%$, $\pm 12\%$, $\pm 16\%$
- Desktop console housing
- For application areas such as: Mobile djs / entertainer

Package contents

- 1 x device, 1 x power cord, 1 x rCA cable, 1 x user manual

Technical specifications:

Weight: 6,60 kg

OMNITRONIC PM-222 2-Channel DJ Mixer

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	30,00 W
Protection class:	Protection class II
Power connection:	Mains input via C8 (M) "figure 8" mounting version power supply cord with Euro plug (provided)
Frequency range:	20 - 20000 Hz
S/N ratio:	>70 dB
THD:	<0,025 % at 1 kHz
Impedance:	Input: Microphone 47 kOhm Input: line 47 kOhm Input: phono 47 kOhm
Gain:	Input: variable
Control elements:	Power switch, source selector, Crossfader
Status LED:	Master level meter, power
Connections:	Input: Microphone via 1 x 6.3 mm jack socket (mono) mounting version Input: line via 4 x stereo RCA Input: phono via 2 x stereo RCA Output: master via 1 x stereo RCA Output: rec. via 1 x stereo RCA Output: headphones via 1 x 6.3 mm jack socket (stereo) mounting version
Channels:	Input channel: 2 x stereo with Line-Line-Phono switch via RCA, channel control via fader, 2-band tone control EQ, gain control

Microphon chanal: 1 x mono via Jack, channel control via Rotary dial, Cue-mix-function
 Master output: 1 x stereo via RCA, channel control via Rotary dial
 Headphones output: 1 x stereo via Jack, channel control via Rotary dial

Max. level:	Output: master +19 dBu
Housing design:	Desktop console housing
Dimensions:	Width: 19 cm Depth: 26 cm Height: 13,7 cm
Weight:	2,00 kg

OMNITRONIC XMT-1400 Tabletop CD Player

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	12 W
Power connection:	Mains input via C8 (M) "figure 8" mounting version power supply cord with Euro plug (provided)
Frequency range:	20 - 20000 Hz
S/N ratio:	>86 dB
THD:	<0,01 % at 1 kHz
Audio player:	USB + SD + CD player, pitch, Anti-shock, Seamless loop
CD player drive:	Drawer-Single CD drive
Display type:	Multicolor VFD display
Display:	CD-DA play time remaining , play time elapsed , total play time remaining , Bargraph; MP3 play time remaining , play time elapsed , Bargraph , ID3-Tags
Control elements:	Power switch, source selector
Connections:	Output: line via 1 x stereo RCA 2 V
Music format:	CD, CD-R, CD-RW, CD-DA, MP3
Frame accuracy:	1/75 s
Available storage media:	USB devices/SD cards max. 32GB (FAT 16/32)
Pitch range:	±4%, ±8%, ±12%, ±16%
Material:	Plastic
Housing design:	Desktop console housing
Dimensions:	Width: 23 cm Depth: 31 cm Height: 12 cm
Weight:	2,30 kg