

EUROLITE Set 4x AKKU IP Flat Light 1 chrome + Soft Bag + Charger

4x flat spotlight with 15 W RGBW LED, soft bag and charger

Art. No.: 20000444

GTIN:



List price: 1248.31 €

incl. 19% VAT.

Features:

EUROLITE AKKU IP Flat Light 1 cr

Flat IP65 spotlight in chrome with 1 x 15 W 4in1 QCL RGBW LED, QuickDMX transceiver

- Integrated QuickDMX transceiver for wireless DMX control
- Chrome housing
- Battery operation up to 18h depending on program used
- 1 powerful LED 15 W high-power 4in1 QCL RGBW (homogenous color mix)
- Strobe effect
- The device is cooled by passive convection cooling
- Control via stand-alone; QuickDMX; IR remote control; DMX
- Flicker-free
- With a beam angle of 8°
- With Mounting bracket
- OLED display
- Suitable for outdoor use IP65
- For application areas such as: Small rental; Wedding/gala/events; mobile djs / entertainer; video and photography
- Dimmer speed (step response) adjustable; Dimmer electronic; color blend stepless; color change adjustable; colors preset
- Preprogrammed in Light´J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; EASY SHOW 2; EASY SHOW 3
- Silent operation
- Cordless, flexible and versatile
- Integrated automatic charging of the battery and status indicator
- Application possibility: Standing

Package contents

Logistic

- 1 x device, 1 x external mains adapter, 1 x remote control, 1 x battery, 1 x declaration of conformity, 1 x user manual

EUROLITE SB-14 Soft-Bag

Practical black soft bag, divided into 4 compartments, for 4 AKKU Flat Lights

- With 2 Outside pockets
- With 4 compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
- 2 carrying straps

EUROLITE Charger 4x Akku Flat Light Series

Power supply with cable for simultaneous charging of 4 x Akku Flat Light 1/3<p class='attributgroup'>Package contents

- 1 x charger, 1 x power cord, 1 x adapter cable

Technical specifications:

Weight: 7,34 kg

EUROLITE AKKU IP Flat Light 1 cr

| | |
|------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz 12,6 V DC 2,5 A |
| IP classification: | IP65 |
| Protection class: | Protection class III |
| Power connection: | Battery/battery pack Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
| Battery pack type: | 2 x lithium ion 11,1 V, 2600 mAh, 28,86 Wh |
| Battery pack: | Battery operation up to 18h depending on program used Recharging time 4h |
| Lamp type: | LED lamp |
| LED: | 1 x 15 W high-power 4in1 QCL RGBW (homogenous color mix) |
| DMX channels: | 3; 4; 6; 8; 10 |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone; QuickDMX; IR remote control; DMX |
| Preprogrammed in: | Light´J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; EASY SHOW 2; EASY SHOW 3 |
| Projection: | Flicker-free |
| Carrier frequency: | 2,4 GHz |
| Beam angle: | 8° |
| Beam angle (1/2 peak): | 8° |

| | |
|-----------------------|---|
| Housing color: | Chrome |
| Attachment system: | Mounting bracket |
| Display type: | OLED display |
| Dimensions: | Width: 17,2 cm Depth: 13,8 cm Height: 6,4 cm |
| Weight: | 1,63 kg |
| Noise classification: | Class 0 (no noise at all) |
| Remote control | |
| Battery: | 1 x Button cell 3.0 V CR2032 lithium manganese built-in |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE SB-14 Soft-Bag

| | |
|-----------------|---|
| Carrying strap: | 2 pc/pcs |
| Material: | Nylon |
| Color: | Black, water repellent |
| Dimensions: | Width: 28 cm Depth: 22 cm Height: 18 cm |
| Weight: | 340 g |

EUROLITE Charger 4x Akku Flat Light Series

| | |
|-------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz 12,6 V DC 6 A |
| Power connection: | Mains input power supply cord with Euro plug (provided) |
| Power output: | 4 x Coaxial power connector (F) |
| Weight: | 490 g |