

EUROLITE Set LED Umbrella 140 + STV-50-WOT

LED Umbrella with lighting stand and TV spigot

Art. No.: 20000488

GTIN:



Features:

- DMX-controllable lighting effect umbrella with 114 SMD RGB LEDs, distributed in 7 segments
- Segments can be controlled individually via DMX
- 6 segments make the surface of the umbrella shine, one segment in the middle shines directly at the audience
- Perfect as stage background and eye-catcher for decorative purposes in shops, display windows, fair stands, hotels, bars and clubs
- Can be mounted to a lighting stand or trussing - the umbrella's angle can be adjusted
- Easy transport (can be folded), setup and installation
- Covers a large area with a diameter of 140 cm
- Built-in auto and music show programs
- Supports QuickDMX - the wireless DMX-system from Eurolite
- Built-in phantom-powered USB port for QuickDMX receivers (accessories)
- Stepless RGB color mixture, dimmer and strobe effect
- Addressing via control panel with 4-digit LED display
- Appropriate control unit included in the delivery
- Power connection via P-Con jack and included power cable with safety plug
- 114 LEDs SMD 5050 3in1 R/G/B (homogenous color mix)
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone; master/slave function; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Flicker-free
- <p>EUROLITE STV-50-WOT EU Steel stand
- <h2 class="featureSatz">Lighting stand, made in EU, maximum load 30 kg, height 150-315 cm</h2>Stable lighting stand for mobile use
- Adjustable height

Logistic

- TV spigot
- Made in Europe
- <p>EUROLITE TV-1 TV Spigot M-10
- <h2 class="featureSatz">TV spigot (28 mm) with M10 internal thread</h2>Adapter for installing a spot, speaker system etc. on a stand
- TV spigot
- M10 thread

Technical specifications:

Weight: 9.06 kg

EUROLITE LED Umbrella 140

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Lamp type:	LED lamp
LED type:	114 x SMD 5050 3in1 R/G/B (homogenous color mix)
DMX channels:	6; 24
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; sound to light via microphone; master/slave function; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Fixtures available for:	Light'J; LED PC-Control 512; Light Captain
Projection:	Flicker-free
Dimensions:	Diameter: Ø 140 cm
Weight:	3.07 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE STV-50-WOT EU Steel stand

Maximum carrying capacity:	30 kg
Height:	Maximum: 315 cm Minimum: 150 cm
Attachment system:	TV spigot Ø 28mm (short)
Type (general stands):	Light stand/manual
Material:	Steel (powder-coated); steel/magnesium
Color:	Black
Weight:	5.50 kg

EUROLITE TV-1 TV Spigot M-10

Attachment system:	TV spigot Ø 28mm M10 thread
Type (general stands):	Accessory
Material:	Steel
Thread:	M10 thread
Dimensions:	Length: 11.50 cm Diameter: Ø 28 cm
Weight:	0.49 kg

Scope of delivery:**1 x EUROLITE LED Umbrella 140**

1 x omega bracket
1 x device
1 x user manual
1 x power cord
1 x multipin cable
1 x umbrella

1 x EUROLITE STV-50-WOT EU Steel stand

1 x user manual

1 x EUROLITE TV-1 TV Spigot M-10

1 x device