

EUROLITE Set LED Mini FE-5 + LED PIX-144 + B-80 + N-19 + Fluid

Art. No.: 20000497

GTIN:



The article is no longer in our assortment.

Features: Logistic

EUROLITE LED Mini FE-5 Laser Goboflower

Small party lighting effect with LED flower, RG laser (2M) and strobe

- Small light effect adds fun to any party
- LED flower effect with 5 bright 3 W LEDs (R, G, B, A and W) projects bright colors in your room
- 5 x 1 W LED (R, G, B, A and W) for fast, dynamic strobe and wash effects
- 2 laser diodes project thousands of red and green laser beams
- Laser class 2M: does not require additional protective measures or appointment of a laser safety officer
- LED flower, laser and strobe can be controlled individually
- 4 built-in auto and music show programs
- Convenient wireless control via included IR remote control EUROLITE IR-28
- Sound-control via built-in microphone with adjustable microphone sensitivity
- Swivel mounting bracket
- 5 powerful LEDs 1 W high-power R/G/B/W/A (homogenous color mix)
- 5 powerful LEDs 3 W high-power R/G/B/W/A
- Gobos
- Flower effect; laser
- Laser class 2M
 does not require additional protective measures or appointment of a laser safety officer
- Control via stand-alone; IR remote control; Sound to light via Microphone

Package contents

- 1 x remote control

EUROLITE LED PIX-144 RGB Bar

Bar (100 cm) with 144 wide beam SMD LEDs (RGB), 8 segments

- 144 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)
8 segments controlled separately
- Dimmer electronic; color blend stepless; color change adjustable; colors preset
- Strobe effect
- The device is cooled by passive convection cooling
- Control via DMX; Sound to light via Microphone
- Flicker-free
- With Mounting bracket
- 4 digit 7-segment LED display
- Preprogrammed in Light'J; LED PC-Control 512; Light Captain
- Silent operation
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; Party room; restaurants, bars and hotels; mobile djs / entertainer
- Application possibility: Suspended; Wall mounting

Package contents

- 1 x light effect, 1 x user manual, 1 x power cord, 2 x mounting bracket

EUROLITE B-80 Bubble Machine

Small and compact bubble machine

- Great design
- Easy cleaning and easy transport
- Filling up with bubble fluid is no problem
- Countless application possibilities: during carnival, at birthday parties, etc.
- Delivery includes power unit
- Flame-resistant plastic housing
- Simply fill in fluid ready!
- Control via on/off switch on device

EUROLITE Bubble Fluid 1I

Bubble fluid for all machines

- Practical 1-liter bottle
- Ideal for all kinds of soap bubbles
- Bubble fluid ready for use
- Made in Germany

EUROLITE N-19 Smoke Machine silver

700 watt fogger with remote control

- Quality thermostat
- Output distance: Approx. 2,5 m
- Control via wired remote control
- With Mounting bracket
- For application areas such as: Clubs/dancing school; Party room; mobile djs / entertainer; small rental
- With level indication
- Operates on water-based fluid
- Application possibility: Standing; suspended

Package contents

1 x device, 1 x user manual, 1 x mounting bracket, 2 x knurled screw, 2 x washer

EUROLITE Smoke Fluid -P2D- professional 1I

Long-lasting fog effect with high density

- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality

- Made in Germany
- For application areas such as: Wedding/gala/events; small rental; Clubs/dancing school; Stage
- Water-based fluid ready for use

Technical specifications:

Weight: 10,02 kg

EUROLITE LED Mini FE-5 Laser Goboflower

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	26 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Lamp type:	LED lamp
LED:	5 x 1 W high-power R/G/B/W/A (homogenous color mix)
	5 x 3 W high-power R/G/B/W/A
Flash rate:	0 - 20 Hz
Equipment:	Gobos
Laser class:	2M
Laser color:	R/G
Laser module:	Green (G) 30 mW 532nm Red (R) 100 mW 650nm
Control:	Stand-alone; IR remote control; Sound to light via Microphone
Housing color:	Black
Dimensions:	Width: 26,8 cm Depth: 15,9 cm Height: 20,4 cm
Weight:	2,27 kg
Remote control	
Battery:	1 x Button cell 3.0 V CR2025 lithium manganese built-in

EUROLITE LED PIX-144 RGB Bar

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	25 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp

DMX channels: 3; 5; 6; 12; 24; 48 DMX input: 1 x 3-pin XLR (M) mounting version DMX output: 1 x 3-pin XLR (F) mounting version Cooling: Passive convection cooling Control: DMX; Sound to light via Microphone Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Special product: Not designed for household room illumination	LED:	144 x SMD 5050 3in1 TCL RGB (homogenous color mix)
DMX input: 1 x 3-pin XLR (M) mounting version 1 x 3-pin XLR (F) mounting version Cooling: Passive convection cooling Control: DMX; Sound to light via Microphone Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Special product: Not designed for household room illumination	Flash rate:	0 - 20 Hz
DMX output: 1 x 3-pin XLR (F) mounting version Cooling: Passive convection cooling Control: DMX; Sound to light via Microphone Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	DMX channels:	3; 5; 6; 12; 24; 48
Cooling: Passive convection cooling DMX; Sound to light via Microphone Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	DMX input:	1 x 3-pin XLR (M) mounting version
Control: DMX; Sound to light via Microphone Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	DMX output:	1 x 3-pin XLR (F) mounting version
Preprogrammed in: Light'J; LED PC-Control 512; Light Captain Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Cooling:	Passive convection cooling
Projection: Flicker-free Housing color: Black Attachment system: 2x Mounting bracket Display type: 4 digit 7-segment LED display Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Control:	DMX; Sound to light via Microphone
Housing color: Attachment system: 2x Mounting bracket 4 digit 7-segment LED display Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Preprogrammed in:	Light'J; LED PC-Control 512; Light Captain
Attachment system: 2x Mounting bracket 4 digit 7-segment LED display Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Projection:	Flicker-free
Display type: 4 digit 7-segment LED display Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Housing color:	Black
Dimensions: Length: 1,02 m Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Attachment system:	2x Mounting bracket
Depth: 6,5 cm Height: 8 cm Weight: 1,54 kg Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Display type:	4 digit 7-segment LED display
Noise classification: Class 0 (no noise at all) Legal specifications Special product: Not designed for household room illumination	Dimensions:	Depth: 6,5 cm
Legal specifications Special product: Not designed for household room illumination	Weight:	1,54 kg
Special product: Not designed for household room illumination	Noise classification:	Class 0 (no noise at all)
	Legal specifications	
Intended use: Show effect lighting	Special product:	Not designed for household room illumination
	Intended use:	Show effect lighting

EUROLITE B-80 Bubble Machine

Power supply:	230 V AC, 50 Hz
Power consumption:	10 W
Power connection:	Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
Tank capacity:	1 I Bubble fluid
Control:	On/off switch on device
Dimensions:	Width: 27,5 cm
	Depth: 27 cm
	Height: 27,5 cm
Weight:	1,31 kg

EUROLITE Bubble Fluid 11

Container size:	11
Type of fluid:	Bubble fluid ready for use
Weight:	1,00 kg

EUROLITE N-19 Smoke Machine silver

Power supply: 230 V AC, 50	0 Hz
Power consumption: 700 W	

IP classification:	IP20
Power connection:	Fixed power supply cord with safety plug
Warm-up time:	Approx. 5 min
Output volume:	Approx. 90 m³/min
Output distance:	Approx. 2,5 m
Tank capacity:	1 I water-based fluid fixed tank
Fluid consumption:	Approx. 25 ml/min
Control:	Wired remote control
Housing color:	Silver
Attachment system:	Mounting bracket
Controls:	Overheat
Color:	Silver
Dimensions:	Width: 27 cm
	Depth: 35 cm
	Height: 22 cm
Weight:	2,90 kg
Noise classification:	Class 3 (clearly perceptible sounds)

EUROLITE Smoke Fluid -P2D- professional 1I

Container size:	11
Type of fluid:	Water-based fluid ready for use
Weight:	1,00 kg