

eurolite®

Set LED Strip RGB 5m + RF Controller + Wandpanel + Trafo 24V

LED IP Strip 5m, wireless remote control, wireless wall
dimmer and Transformer 24V

Art. No.: 20000557

GTIN:



The article is no longer in our assortment.

eurolite®

Set LED Strip RGB 5m + RF Controller + Wandpanel + Trafo 24V

LED IP Strip 5m, wireless remote control, wireless wall
dimmer and Transformer 24V

Art. No.: 20000557

GTIN:

Features:

EUROLITE LED IP Strip 150 5m RGB 24V

Flexible 3in1 TCL RGB LED strip for indoor and outdoor use, 24 V

- Flexible LED strip for decorative lighting
 - Can be cut into segments of variable size
 - Self-adhesive rear side
 - Supplied on a plastic reel
 - 150 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)
 - Control via system controller
 - Suitable for outdoor use
 - For application areas such as: Trade fair and shop fitting; Clubs/dancing school; Installation; restaurants, bars and hotels
 - Silent operation
- Package contents
- 1 x illuminant, 1 x user manual

EUROLITE LED Strip RGB RF Controller

3-channel LED controller with wireless remote control for RGB LED strips 12-24V

- For controlling RGB LED strips 12-24 V
 - Color selection via touch-sensitive color wheel
 - RJ45 jacks for serial connection
 - 10 integrated show programs
 - Control via Wireless remote control
 - Operating range up to 20m
 - Dimmer electronic; program speed adjustable
- Package contents
- 1 x controller, 1 x user manual, 1 x transmitter, 1 x declaration of conformity

EUROLITE LED Strip Wall Panel for RGB RF Controller

Wireless wall dimmer for RGB LED strips

- For controlling RGB LED strips 12-24 V
 - Color wheel selection
 - Terminals for connecting the power supply (100-240 V)
 - Program speed adjustable; Dimmer electronic
 - 10 integrated show programs
 - Operating range up to 20m
 - Flush mounting
 - Finery housing (optional)
- Package contents
- 1 x remote control, 1 x user manual, 1 x declaration of conformity

EUROLITE Electr. LED Transformer, 24V, 2A

Stabilized LED power supply unit DC 24 V, 2 A