

---

## Set 4x TCM FX E-Shot + 4x Cables + Case

Art. No.: 2000570

GTIN:

---



**The article is no longer in our assortment.**

---

### Features:

- For application areas such as: Carnival
- <p>TCM FX E-Shot
- <p class="featureSatz">Electric firing unit for confetti and streamers
- The electric shooter can be used for confetti or streamer cannons
- Suitable for electric cannons with 50 and 80 cm length
- The shooting angle can be adjusted steplessly
- Activated by a 230V power source
- Output distance: Approx. 20 m
- Control via plug and play
- Made in Europe
- For application areas such as: Carnival

#### Package contents

- 1 x device, 1 x user manual
- <p>PSSO PowerCon Power Cable 3x1.5 1.5m H07RN-F
- Built with NEUTRIK connector
- Made in Europe

#### Package contents

- 1 x power cord
- <p>ROADINGER Flightcase 4x AKKU UP-4
- <p class="featureSatz">Trunk case, PRO version
- Cable bushing allows loading the devices inside
- With 4 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- Hinged, chromium plated case handle

---

### Logistic

- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Rubber feet
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	12,95 kg
---------	----------

---

### TCM FX E-Shot

Power supply:	230 V AC, 50 Hz
Power consumption:	100 W
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug
Power output:	1 x PowerCON (gray), mounting version 1 x Special connector recessed mounting
Output distance:	Approx. 20 m
Control:	Plug and play
Housing color:	Black
Dimensions:	Width: 12 cm Depth: 13 cm Height: 16 cm
Weight:	1,78 kg

### PSSO PowerCon Power Cable 3x1.5 1.5m H07RN-F

Cable construction:	3 x 1,5 mm <sup>2</sup> H07RN-F
Cable length:	1,5 m
Plug A:	1 x safety plug (M)
Plug B:	1 x PowerCON (blue)
Use of brands:	Built with NEUTRIK connector
Color:	Black
Weight:	310 g

### ROADINGER Flightcase 4x AKKU UP-4

Maximum load:	25 kg
Aluminum profile frames:	25 mm
Case handle:	1 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 1 pc/pcs
Transport aid:	Rubber feet

Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	16 cm x 15 cm x 15,5 cm
Inside dimensions:	33 cm x 31 cm x 15,5 cm
Dimensions:	Width: 37 cm Depth: 35 cm Height: 25,5 cm
Weight:	4,59 kg