

## EUROLITE Set 2x LED STP-10 ABL Sunbar + Case

2x sunbar with ambient light including PRO flightcase

Art. No.: 2000602

GTIN:



### Features:

- The white LEDs have a narrow beam angle and produce clearly defined beams
- Creates a unique ambience
- 60 LEDs 0.5 W SMD 5050 3in1 R/G/B (homogenous color mix)<BR> LEDs controlled separately
- 10 LEDs 3 W SMD 5050 warm white (WW)<BR> LEDs controlled separately
- Mood lights; color animations
- Strobe effect
- Integrated show programs
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone; Art-Net
- With mounting bracket
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; Trade fair and shop fitting; stage; restaurants, bars and hotels
- Silent operation
- Application possibility: Suspended; wall mounting
- <p>ROADINGER Flightcase 2x LED STP-10 ABL Sunbar
- <h2 class="featureSatz">Carrying case, PRO version</h2>With accessory compartment
- With 2 device compartments
- High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware

### Logistic

- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	16.00 kg
---------	----------

---

### EUROLITE LED STP-10 ABL Sunbar

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	70 W
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x P-Con (gray), mounting version
Lamp type:	LED lamp
LED type:	60 x 0.5 W SMD 5050 3in1 R/G/B (homogenous color mix) 10 x 3 W SMD 5050 warm white (WW)
Flash rate:	0 - 18 Hz
DMX channels:	11; 20; 47; 190
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Network connection:	Protocol: Art-Net 3 via 2x RJ-45 E-Con (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; sound to light via microphone; Art-Net
Housing color:	Black
Attachment system:	Mounting bracket
Dimensions:	Length: 78 cm Depth: 14 cm Height: 10.5 cm
Weight:	3.50 kg
Noise classification:	Class 0 (no noise at all)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER Flightcase 2x LED STP-10 ABL Sunbar

Maximum load:	25 kg
Aluminum profile frames:	25 mm
Case handle:	1 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs

Use of brands:	Branded hardware
Material:	Plywood multi-layer glued, 7 mm; birch multiplex
Color:	Black, laminated; dark brown, laminated
Accessory compartment:	78 cm x 10 cm x 13 cm
Device compartment:	78 cm x 7 cm x 13 cm
Inside dimensions:	78 cm x 35 cm x 13 cm
Dimensions:	Width: 84 cm Depth: 23 cm Height: 41 cm
Weight:	9.00 kg

---

**Scope of delivery:**

---