

EUROLITE Set 6x LED PARTY Spot + Case TDV-1

6x compact spotlight with 12 x 1 W LED in RGBW including universal case

Art. No.: 20000626

GTIN:



List price: 279.65 €

incl. 19% VAT.

Features:

EUROLITE LED PARTY Spot

Compact spotlight with 12 x 1 W R/G/B/W LED and DMX control

- 12 powerful LEDs 1 W SMD 8072 R/G/B/W
- Color blend stepless; color change programs; pulse effect adjustable; Dimmer electronic
- Strobe effect
- 7 integrated show programs
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; sound to light via microphone; master/slave function
- Preprogrammed in Light'J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
- Flicker-free
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Party room; small rental
- Application possibility: Suspended; on stand

Package contents

- 1 x light effect, 1 x mounting bracket, 2 x screw, 2 x washer, 1 x user manual

Logistic

ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers

- With dividers
- High-quality workmanship with plastic 3 mm, black, imprinted
- Interior with foam padding

- Aluminum profile frames 12mm with rounded edges
- Rugged carrying handle
- 3 chrome tip-over locks
- 2 high-quality spring locks with shut-off function
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x case

Technical specifications:

Weight: 6,01 kg

EUROLITE LED PARTY Spot

| | |
|--------------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 15 W |
| IP classification: | IP20 |
| Protection class: | Protection class II |
| Power connection: | Fixed power supply cord with Euro plug |
| Cable construction: | 2 x 0,75 mm² H03VVH2-F |
| Cable length: | Approx. 0,9 m |
| Lamp type: | LED lamp |
| LED type: | 12 x 1 W SMD 8072 R/G/B/W |
| DMX channels: | 6 |
| DMX input: | 3-pin XLR (M) mounting version |
| DMX output: | 3-pin XLR (F) mounting version |
| Cooling: | 1 x cooling fan |
| Control: | Stand-alone; sound to light via microphone; master/slave function |
| Preprogrammed in: | Light´J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief |
| Projection: | Flicker-free |
| Beam angle (1/2 peak): | 10° |
| Housing color: | Black |
| Attachment system: | Mounting bracket |
| Display type: | 4 digit 7-segment LED display |
| Dimensions: | Width: 15 cm Depth: 9 cm Height: 16 cm |
| Weight: | 0,43 kg |
| Noise classification: | Class 2 (slight noise) |
| Mounting bracket | |
| Diameter mounting holes: | 1 x Ø12mm; 2 x Ø8mm |
| Material: | Metal, 1 mm, painted |
| Color: | Black, matte |

Legal specifications

| | |
|------------------|--|
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Universal Case Pick TDV-1

| | |
|--------------------------|---|
| Maximum load: | 25 kg |
| Aluminum profile frames: | 12 mm |
| Carrying handle: | 1 pc/pcs |
| Stop hinge: | 3 pc/pcs |
| Lock: | Spring lock: 2 pc/pcs with shut-off function |
| Material: | Plastic, 3 mm |
| Color: | Black, imprinted |
| Inside dimensions: | 52 cm x 28,5 cm x 20 cm |
| Dimensions: | Width: 54 cm Depth: 31 cm Height: 26 cm |
| Weight: | 3,45 kg |