

## EUROLITE Set 6x LED PARTY TCL Spot + Case TDV-1

6x compact spotlight with 12 x 3 W 3in1 LEDs in RGB incl. universal case

Art. No.: 20000627

GTIN:



**List price: 355.81 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED PARTY TCL Spot

Compact spotlight with 12 x 3 W 3in1 TCL RGB LED and DMX control

- 12 powerful LEDs 3 W SMD 8072 3in1 TCL RGB (homogenous color mix)
- Color change programs; color blend stepless; pulse effect adjustable; Dimmer electronic
- Strobe effect
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; DMX; sound to light via microphone
- Preprogrammed in LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; Light´J; Colorchief
- Flicker-free
- With a beam angle of 17°
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Party room; small rental
- Application possibility: Suspended; on stand

#### Package contents

- 1 x light effect, 1 x mounting bracket, 2 x knurled screw, 2 x washer, 1 x user manual

### Logistic

#### ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers

- With dividers
- High-quality workmanship with plastic 3 mm, black, imprinted
- Interior with foam padding

- Aluminum profile frames 12mm with rounded edges
- Rugged carrying handle
- 3 chrome tip-over locks
- 2 high-quality spring locks with shut-off function
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x case

## Technical specifications:

Weight:	6,02 kg
---------	---------

### EUROLITE LED PARTY TCL Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	10 W
IP classification:	IP20
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug
Cable construction:	2 x 0,75 mm² H03VVH2-F
Lamp type:	LED lamp
LED type:	12 x 3 W SMD 8072 3in1 TCL RGB (homogenous color mix)
Flash rate:	0,5 - 16 Hz
DMX channels:	5
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; DMX; sound to light via microphone
Preprogrammed in:	LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; Light J; Colorchief
Projection:	Flicker-free
PWM frequency:	15700 Hz
Beam angle:	17°
Beam angle (1/2 peak):	17°
Beam angle (1/10 peak):	38°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 15 cm Depth: 9 cm Height: 16 cm
Weight:	0,43 kg
Noise classification:	Class 2 (slight noise)

Mounting bracket	
Diameter mounting holes:	1 x Ø12mm; 2 x Ø8mm
Material:	Metal, 1 mm, painted
Color:	Black, matte
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **ROADINGER Universal Case Pick TDV-1**

Maximum load:	25 kg
Aluminum profile frames:	12 mm
Carrying handle:	1 pc/pcs
Stop hinge:	3 pc/pcs
Lock:	Spring lock: 2 pc/pcs with shut-off function
Material:	Plastic, 3 mm
Color:	Black, imprinted
Inside dimensions:	52 cm x 28,5 cm x 20 cm
Dimensions:	Width: 54 cm Depth: 31 cm Height: 26 cm
Weight:	3,45 kg