

EUROLITE Set 4x LED PIX-12 QCL + Controller

4x LED bar with 12 x 4 W RGBW LED including DMX lighting desk with innovative control concept

Art. No.: 2000648

GTIN: 4026397002713



Features:

- 12 LEDs high-power 4in1 RGBW (homogenous color mix)
 LEDs controlled separately
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic
- Strobe effect
- 5 integrated show programs
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; IR remote control; DMX; sound to light via microphone; master/slave function; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- With a beam angle of 18°
- With mounting bracket
- Mains input and output for power linking up to 8 units
- <p>EUROLITE DMX LED Color Chief Controller
- <h2 class="featureSatz">DMX lighting desk with innovative control concept for LED spotlights</h2>Easy control of LED spotlights with up to 6 colors, light bars as well as simple lighting effects
- For 8 devices or device groups, each with up to 4 segments
- Quick and easy programming
- Additional fixtures can be configured manually
- 8 color effects directly selectable
- 3 additional channels available per fixture (e.g. for rotations)
- Color wheel selection and simulation
- 24 memory spaces for scenes and chases
- Several chases and scenes can be run simultaneously
- USB port for storing program data
- Sound control via audio signal or TAP button

Logistic

EAN / GTIN: 4026397002713

Weight: 29,00 kg

Length: 0.50 m

Width: 0.30 m

Height: 1.30 m

Bulky product

- Master dimming, fade time and run time easily adjustable
- Can transmit up to 240 DMX channels
- (19") 48.3 cm rack installation 3 U
- Programmable 24 scenes/chases distributed over 1 page/s
- Control via DMX; sound to light via RCA (F) mounting version; sound to light via microphone
- Firmware can be updated
- Desktop console housing
- For application areas such as: Clubs/dancing school; party room; Trade fair and shop fitting; mobile djs / entertainer; restaurants, bars and hotels
- Silent operation

Technical specifications:

Weight: 24.45 kg

EUROLITE LED PIX-12 QCL Bar

| | |
|-------------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 45 W |
| Protection class: | Protection class I |
| Lamp type: | LED lamp |
| LED type: | 12 x high-power 4in1 RGBW (homogenous color mix) |
| DMX channels: | 3; 4; 15; 52; 2 |
| DMX input: | 3-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | Cooling fan |
| Control: | Stand-alone; IR remote control; DMX; sound to light via microphone; master/slave function; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional) |
| Fixtures available for: | LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain |
| Beam angle (1/2 peak): | 18° |
| Beam angle (1/10 peak): | 36° |
| Housing color: | Black |
| Attachment system: | Mounting bracket |
| Dimensions: | Length: 100.0 cm Depth: 16.5 cm Height: 11.1 cm |
| Weight: | 5.55 kg |
| Photobiological safety: | Risk Group 0 |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE DMX LED Color Chief Controller

| | |
|--------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz 9V DC 800 mA |
| Power consumption: | 7.2 W |
| Protection class: | Protection class III |
| Power connection: | Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
| Programs: | Programmable 24 scenes/chases distributed over 1 page/s |
| DMX channels: | Output 240 |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Control: | DMX; sound to light via RCA (F) mounting version; sound to light via microphone |
| Housing color: | Black |
| Available storage media: | USB devices (FAT 32) |
| USB port: | Type A |
| Color: | Black |
| PC connect: | , firmware can be updated |
| Housing design: | (19") 48.3 cm rack installation 3 U Desktop console housing |
| Dimensions: | Width: 48.3 cm Depth: 13.35 cm Height: 8.5 cm |
| Weight: | 2.25 kg |
| Noise classification: | Class 0 (no noise at all) |

Scope of delivery:

4 x EUROLITE LED PIX-12 QCL Bar

- 1 x spotlight
- 1 x user manual
- 1 x power cord
- 1 x remote control
- 1 x battery

1 x EUROLITE DMX LED Color Chief Controller

- 1 x controller
- 1 x user manual
- 1 x external mains adapter