

OMNITRONIC Set WMT-1M UHF Transmitter + WMR-1M UHF Receiver

UHF Transmitter including UHF Receiver

Art. No.: 2000667

GTIN: 4026397523249



Features:

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Parallel use of up to 4 transmitters possible
- Compatible with MOM-10BT4 system
- 16 channels selectable
- Audio line input (3.5 mm jack) and microphone input (mini XLR)
- Volume level control
- Operation via 2 batteries or rechargeable batteries size AA
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe
- <p>OMNITRONIC WMR-1M UHF-Receiver, mono
- <h2 class="featureSatz">Wireless mono audio transmission system, 823-832 MHz</h2>Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Compatible with MOM-10BT4 system
- Parallel use of up to 4 transmitters possible
- 16 channels selectable

Logistic

EAN / GTIN: 4026397523249

Weight: 1,00 kg

Length: 0.30 m

Width: 0.22 m

Height: 0.21 m

- Audio line output and earphone connection via 3.5 mm jack
- Volume control
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU (please check on a country-by-country basis)
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Technical specifications:

Weight: 0.41 kg

OMNITRONIC WMT-1M UHF Transmitter, mono

Power supply: 5V DC
3V DC

Power connection: Mains input via micro USB (F) mounting version included
Battery/battery pack

Battery: 2 x Mignon (AA) included

S/N ratio: >90 dB

Range: Range up to 50m

Frequency band: UHF 823 - 832 MHz

Frequency stability: ± 0.01 %

RF power output: 10 mW

Modulation: FM

Frequency selection: 16 switchable frequencies

Pilot frequency: 32.768 kHz

Control elements: Power switch, level control, frequency selector switch

Status LED: Power

Connections: Input: microphone via 1 x mini XLR (M) 3-pin mounting version 1 V
Input: AUX via 1 x 3.5 mm jack (stereo) 3.5 V

Switch: On/off switch

Material: Plastic

Color: Black

Dimensions: Width: 6.7 cm
Depth: 3.0 cm
Height: 11.2 cm

Weight: 0.20 kg

OMNITRONIC WMR-1M UHF-Receiver, mono

Power supply: 5V DC

	3V DC
Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
Battery:	2 x Mignon (AA) included
S/N ratio:	>80 dB
Range:	Range up to 50m
Frequency band:	UHF 823 - 832 MHz
Frequency stability:	± 0.01 %
Modulation:	FM
Frequency selection:	16 switchable frequencies
Pilot frequency:	32.768 kHz
Connector type:	3.5 mm jack (mono) mounting version
Control elements:	Level control, power switch, frequency selector switch
Status LED:	Signal, power
Connections:	Output: line via 1 x 3.5 mm jack (mono) mounting version 1 V Output: headphones via 1 x 3.5 mm jack (stereo) mounting version
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6.7 cm Depth: 3.0 cm Height: 11.2 cm
Weight:	0.21 kg

Scope of delivery:

1 x OMNITRONIC WMT-1M UHF Transmitter, mono

1 x receiver
1 x jack cable
1 x USB cable
2 x battery
1 x user manual
1 x declaration of conformity

1 x OMNITRONIC WMR-1M UHF-Receiver, mono

1 x receiver
1 x jack cable
1 x USB cable
2 x battery
1 x user manual
1 x declaration of conformity