

EUROLITE Set 2x TMH XB-280 + Case

2x bright, narrow beam with OSD 10 280 W discharge lamp incl. PRO flightcase with castors

Art. No.: 2000702

GTIN: 4026397492484



List price: 2557.31 €

incl. 19% VAT.

Features:

2x bright, narrow beam with OSD 10 280 W discharge lamp incl. PRO flightcase with castors

- Positioning within PAN and TILT

EUROLITE TMH XB-280 Moving-Head-Beam

Bright, narrow beam with OSD 10 280W discharge lamp, color wheel, gobos and prisms

- Equipped with an OSD 10 Reflector 280W discharge lamp
- Positioning within 540° PAN and 270° TILT
- Exact positioning (16 bit resolution)
- Color wheel; Focus motor-driven; gobo wheel with static gobos; frost filter; Prism 8-fold rotating; Prism 24-fold rotating
- Color wheel with 14 dichroic filters plus open
half colors selectable, Rainbow effect with adjustable speed in both directions
- Gobo wheel with static gobos, 13 gobos und open
shake effect
- The device is cooled by cooling fan
- Control via DMX; stand-alone; Master/slave function; Sound to light via Microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- With a beam angle of 2°
- Multicolor LCD display
- Dimmer electronic
- Strobe effect
- Preprogrammed in LED PC-Control 512; Light Captain
- For application areas such as: Clubs/dancing school; Stage; Rental

Logistic

EAN / GTIN: 4026397492484

- Application possibility: Standing; suspended

Package contents

- 1 x moving light, 1 x user manual, 1 x power cord, 2 x omega bracket

ROADINGER Flightcase 2x TMH-XB-280

Trunk case with castors

- For optimal security
- With 2 Device compartments
- High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks with shut-off function
- 4 castors with 2 locking brakes
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 46,30 kg

EUROLITE TMH XB-280 Moving-Head-Beam

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	385 W
IP classification:	IP20
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Fuse:	T 5 A Fuse replaceable
Lamp type:	Discharge lamp
Max. TILT movement:	270° Exact positioning (16 bit resolution)
Max. PAN movement:	540° Exact positioning (16 bit resolution)
Flash rate:	1 - 18 Hz
Equipment:	Color wheel; Focus motor-driven; gobo wheel with static gobos; frost filter; Prism 8-fold rotating; Prism 24-fold rotating
Color generation:	Color wheel with 14 dichroic filters plus open Half colors selectable, Rainbow effect with adjustable speed in both directions
Gobos:	Gobo wheel with static gobos, 13 gobos und open Shake effect
DMX channels:	16; 19
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	DMX; stand-alone; Master/slave function; Sound to light via Microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)

Preprogrammed in:	LED PC-Control 512; Light Captain
Beam angle:	2°
Beam angle (1/2 peak):	2°
Housing color:	Black
Display type:	Multicolor LCD display
Dimensions:	Width: 30,0 cm Depth: 20,5 cm Height: 50,5 cm
Weight:	14,80 kg
Noise classification:	Class 4 (loud noises)

ROADINGER Flightcase 2x TMH-XB-280

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs with shut-off function
Transport aid:	4 x castors with 2 locking brakes
Material:	Plywood multi-layer glued, 7 mm
Color:	Black, laminated
Device compartment:	22 cm x 32 cm x 50 cm
Accessory compartment:	7 cm x 32 cm x 22 cm
Inside dimensions:	53 cm x 32 cm x 50 cm
Dimensions:	Width: 58 cm Depth: 37 cm Height: 67 cm
Weight:	16,70 kg