

EUROLITE Set 2x Spark Master + Case PRO

2x DMX spark effect without pyrotechnics for indoor fireworks incl. PRO flightcase

Art. No.: 20000729 GTIN: 4026397680461







The article is no longer in our assortment.

Features:

EUROLITE Spark Master

DMX spark effect without pyrotechnics for indoor fireworks

- Uses environmentally-friendly, low-price granules
- Not categorized as pyrotechnics, therefore no permit required for operation
- Safe and easy operation via remote control or DMX
- Granules for refilling available as accessory
- Per filling 10-15 minutes effect
- Output height adjustable between 1-5 meters
- Wireless remote control WRC-9 for simultaneous control of multiple devices
- Self-cleaning function
- Rugged metal housing
- Output distance: Approx. 5 m
- The device is cooled by cooling fan
- Control via DMX; wired remote control; wireless remote control
- Preprogrammed in LED PC-Control 512; Light Captain; Light'J
- Mains input and output for power linking up to 8 units
- For application areas such as: Carnival; new year's eve; small rental; wedding/gala/events; band/rehearsal room; stage

Package contents

1 x device, 1 x power cord, 2 x remote control, 1 x receiver, 1 x battery, 1 x user manual, 1 x declaration of conformity, 1 x container

ROADINGER Flightcase PRO 2x Spark Master with wheels

Trunk case with castors. PRO version

Logistic

EAN / GTIN: 4026397680461

Weight: 43,50 kg Length: 1.20 m Width: 0.60 m Heigth: 0.60 m Bulky product

- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, brown
- Interior with foam padding
- Cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes

Technical specifications:

Weight: 40,50 kg

EUROLITE Spark Master

| Power supply: | 230 V AC, 50 Hz |
|--------------------|--|
| Power consumption: | 760 W |
| IP classification: | IP20 |
| Warm-up time: | Approx. 5 min |
| Output distance: | Approx. 5 m |
| DMX channels: | 2 |
| DMX input: | 1 x 3-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | Cooling fan |
| Control: | DMX; wired remote control; wireless remote control |
| Preprogrammed in: | LED PC-Control 512; Light Captain; Light'J |
| Controls: | Overheat; overload |
| Color: | Black |
| Dimensions: | Width: 24,5 cm |
| | Depth: 25 cm |
| | Height: 32,5 cm |
| Weight: | 10,95 kg |

ROADINGER Flightcase PRO 2x Spark Master with wheels

| Maximum load: | 50 kg |
|--------------------------|--|
| Aluminum profile frames: | 30 mm |
| Case handle: | 2 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Transport aid: | 4 x castors with 2 locking brakes |
| Material: | Birch multiplex, 7 mm; birch multiplex |
| Color: | Brown; dark brown, laminated |
| Device compartment: | 24,5 cm x 25 cm x 26 cm |
| Accessory compartment: | 56 cm x 9 cm x 26 cm |
| | |

Dimensions: Width: 60 cm
Depth: 41,5 cm

Height: 55 cm

Weight: 18,60 kg