

EUROLITE Set ML-300 ABL Spot + STV-250

Midsized spotlight with halogen lamp and LED ambient illumination incl. follow stand

Art. No.: 20000752

GTIN: 4026397682465



Features:

- RGB LEDs are concealed under the mesh cover, in order to completely illuminate the large reflector with color
- When dimmed, the halogen lamp produces a wonderful, golden atmosphere light; when fully illuminated a bright, dazzling light
- Strobe effect with adjustable speed
- Various dimmer curves adjustable
- Mains input and output for power linking up to 8 units
- 18 LEDs 0.2 W SMD 5050 3in1 TCL RGB
- Direct color selection for 35 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; IR remote control; DMX
- Fixtures available for Light´J; LED PC-Control 512; Light Captain
- With mounting bracket
- LCD display
- <p>EUROLITE STV-250 Follow Spot Stand, black
- <h2 class="featureSatz">PRO follow stand for mobile lighting systems</h2>Heavy-duty stainless steel version for extra stability and safety
- Tripod legs made of stainless steel
- Tripod legs with optional slant for uneven surfaces
- Easy handling
- Safety ring for height adjustment
- Extra-big, rubberized star knob screw
- Adjustable height
- With Multi-angle ball head bracket with stainless steel rod

Logistic

EAN / GTIN: 4026397682465

Weight: 18,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

Technical specifications:

Weight:	15.60 kg
---------	----------

EUROLITE ML-300 ABL Spot

Power supply:	230 V AC, 50 Hz
Power consumption:	315 W
IP classification:	IP20
Suitable lamp:	230 V/300 W G-9.5
Nominal wattage:	300 W
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	PowerCON (gray)
Base:	GY9.5
Lamp type:	Halogen lamp
LED type:	18 x 0.2 W SMD 5050 3in1 TCL RGB
Flash rate:	0 - 20 Hz
DMX channels:	1; 2; 4; 7
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; IR remote control; DMX
Fixtures available for:	Light J; LED PC-Control 512; Light Captain
Housing color:	Silver
Attachment system:	Mounting bracket
Display type:	LCD display
Dimensions:	Width: 53 cm Depth: 27.5 cm Height: 45.5 cm
Weight:	7.15 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE STV-250 Follow Spot Stand, black

Maximum carrying capacity:	50 kg
Height:	Maximum: 170 cm Minimum: 95 cm
Attachment system:	M10 thread

	Multi-angle ball head bracket with stainless steel rod
Type (general stands):	Light stand/manual
Material:	Aluminum; stainless steel
Color:	Black
Base area:	Ø 1.12 cm
Transport dimensions:	13 cm x 14 cm x 105 cm
Weight:	8.45 kg

Scope of delivery:

1 x EUROLITE ML-300 ABL Spot

1 x spotlight
 1 x user manual
 1 x power cord
 1 x remote control
 1 x battery

1 x EUROLITE STV-250 Follow Spot Stand, black

1 x stand
 1 x user manual