



### Features:

#### EUROLITE Multiflood Pro IP RGBW Wash MK2

Bright outdoor spot with RGBW LEDs and W-DMX

- Integrated W-DMX transceiver for wireless DMX Control
- 36 LEDs 8 W high-power 4in1 RGBW (homogenous color mix)<BR>4 segments controlled separately
- Wash effect; strobe effect
- Direct color selection for 27 preset colors
- Can be operated in 3; 4; 6; 9; 10; 16; 26 CH mode
- The device is cooled by low-noise cooling fan
- Control via stand-alone; IR remote control; DMX; W-DMX by wireless solution; master/slave function; wired remote control
- With a beam angle of 14°
- With omega bracket
- OLED display
- Rubber feet
- Mains input and output for power linking up to 8 units
- Suitable for outdoor use
- For application areas such as: Architecture; stage; wedding/gala/events; theater; rental; video and photography
- Very quiet working noise
- Application possibility: Standing; suspended

### Logistic

EAN / GTIN: 4026397698664

Weight: 14,20 kg

Length: 0.00 m

Width: 0.00 m

Heigh: 0.00 m

## EUROLITE Diffuser Cover 40° for Multiflood Pro IP RGBW Wash MK2

Frost filter provides a soft, homogeneous light

- To set different beam angles (from 14° to approx. 40° or 15 x 60°)

### Technical specifications:

---

Weight: 14.42 kg

---

### EUROLITE Multiflood Pro IP RGBW Wash MK2

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	230 W
IP classification:	IP65
Lamp type:	LED lamp
LED type:	36 x 8 W high-power 4in1 RGBW (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	3; 4; 6; 9; 10; 16; 26
DMX input:	3-pin XLR (M) mounting version IP
DMX output:	3-pin XLR (F) mounting version IP
Cooling:	Low-noise cooling fan
Control:	Stand-alone; IR remote control; DMX; W-DMX by wireless solution; master/slave function; wired remote control
Fixtures available for:	Light Captain; EASY SHOW 1; EASY SHOW 2; EASY SHOW 3; Light J; Colorchief
Carrier frequency:	2.4 GHz
Beam angle (1/2 peak):	14°
Beam angle (1/10 peak):	30
Housing color:	Black
Attachment system:	Omega bracket
Display type:	OLED display
Transport aid:	Rubber feet
Dimensions:	Length: 51.35 cm Depth: 18.10 cm Height: 33.90 cm
Weight:	12.75 kg
Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments)
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

**EUROLITE Diffuser Cover 40° for Multiflood Pro IP RGBW Wash MK2**

Dimensions: Length: 46.3 cm  
Width: 23.2 cm  
Depth: 0.6 cm

---

Weight: 0.37 kg

---

**EUROLITE Barndoors for Multiflood Pro IP RGBW Wash MK2**

Color: Black

---

Dimensions: Length: 50.0 cm  
Width: 27.0 cm  
Depth: 2.5 cm

---

Weight: 1.30 kg

---

**Scope of delivery:**

---

**1 x EUROLITE Multiflood Pro IP RGBW Wash MK2**

1 x device  
1 x user manual  
1 x power cord  
1 x remote control  
1 x battery  
1 x omega bracket

**1 x EUROLITE Diffuser Cover 40° for Multiflood Pro IP RGBW Wash MK2**

1 x frost filter

**1 x EUROLITE Barndoors for Multiflood Pro IP RGBW Wash MK2**

1 x barndoor  
14 x screw