

# **EUROLITE Set 4x LED TMH-S60 Moving Head Spot wh + Case**

Art. No.: 20000956 GTIN: 4026397716436







List price: 2081.31 €

incl. 19% VAT.

### Features:

- Positioning within
- EUROLITE LED TMH-S60 Moving Head Spot wh
- Compact Moving moving head with 60 W LED, gobos, color wheel and white housing
- 3 gobos with heart patterns for exchange included
- 1 powerful LED 60 W COB (chip-on-board) cold white (CW)
- Positioning within 540° PAN, 180° TILT
- Gobo wheel with rotating gobos; focus manual; color wheel
- Dimmer electronic
- Beam effect; strobe effect
- Color wheel with 7 dichroic filters plus open<BR>half colors selectable, Rainbow effect with adjustable speed in both directions
- Gobo wheel with rotating gobos, 7 gobos and open<BR>slot-in gobo system for easy gobo replacement
- Shake effect
- 4 integrated show programs
- The device is cooled by cooling fan
- Control via stand-alone; DMX; sound to light via microphone; master/slave function; CRMX by LumenRadio via USB (optional); W-DMX by wireless solution via USB (optional); QuickDMX via USB (optional)
- Preprogrammed in LED PC-Control 512; EASY SHOW 1; Light Captain; Light'J
- Flicker-free
- With a beam angle of 12°
- 4 digit 7-segment LED display
- Rubber feet

## Logistic

EAN / GTIN: 4026397716436

Weight: 30,00 kg Length: 0.00 m Width: 0.00 m Heigth: 0.00 m

- For application areas such as: Clubs/dancing school; wedding/gala/events; stage; mobile djs / entertainer; restaurants, bars and hotels
- Application possibility: Standing; suspended

#### Package contents

- 1 x moving light, 1 x user manual, 1 x power cord, 1 x omega bracket, 1 x safety eyelet, 3 x gobos
- ROADINGER Flightcase 4x LED TMH-13/17/S30/W36 with wheels
- Trunk case with castors
- High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated
- Interior with foam padding<BR>cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks with shut-off function
- Castors

# **Technical specifications:**

Weight: 25,50 kg

## **EUROLITE LED TMH-S60 Moving Head Spot wh**

| Power supply:       | 100-240 V AC, 50/60 Hz  |
|---------------------|---|
| Power consumption:  | 95 W  |
| IP classification:  | IP20  |
| Protection class:   | Protection class I  |
| Power connection:   | Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)                                  |
| Device fuse:        | 5 x 20 mm, T 1,5 A fuse replaceable   |
| Lamp type:          | LED lamp  |
| LED type:           | 1 x 60 W COB (chip-on-board) cold white (CW)  |
| Max. TILT movement: | 180° positioning  |
| Max. PAN movement:  | 540° positioning  |
| Equipment:          | Gobo wheel with rotating gobos; focus manual; color wheel   |
| Color generation:   | Color wheel with 7 dichroic filters plus open Half colors selectable, Rainbow effect with adjustable speed in both directions |
| Gobos:              | Gobo wheel with rotating gobos, 7 gobos and open  |
|                     | Outside diameter 13,8mm   |
|                     | Image diameter 11mm   |
|                     | Slot-in gobo system for easy gobo replacement   |
|                     | Shake effect  |
| DMX channels:       | 10; 12  |
| DMX input:          | 3-pin XLR (M) mounting version  |
| DMX output:         | 3-pin XLR (F) mounting version  |
| Cooling:            | Cooling fan   |
|                     |   |

| Control:                 | Stand-alone; DMX; sound to light via microphone; master/slave function; CRMX by LumenRadio via USB (optional); W-DMX by wireless solution via USB (optional); QuickDMX via USB (optional) |
|--------------------------|---|
| Preprogrammed in:        | LED PC-Control 512; EASY SHOW 1; Light Captain; Light'J   |
| Projection:              | Flicker-free  |
| Beam angle:              | 12°   |
| Beam angle (1/2 peak):   | 12°   |
| Color temperature:       | 7700K   |
| Illuminance in Lux (lx): | Cold white (CW) 1m: 15205 lx, 3m: 1764 lx, 6m: 445 lx   |
| Housing color:           | White   |
| Display type:            | 4 digit 7-segment LED display   |
| Transport aid:           | Rubber feet   |
| Dimensions:              | Width: 17,0 cm  |
|                          | Depth: 15,0 cm  |
|                          | Height: 24,0 cm   |
| Weight:                  | 3,15 kg   |
| Noise classification:    | Class 3 (clearly perceptible sounds)  |
| Legal specifications     |   |
| Special product:         | Not designed for household room illumination  |
| Intended use:            | Show effect lighting  |

# ROADINGER Flightcase 4x LED TMH-13/17/S30/W36 with wheels

| Weight:                  | 12,90 kg  |
|--------------------------|---|
|                          | Height: 47 cm                                   |
| Dimensions.              | Depth: 38 cm                                    |
| Dimensions:              | Width: 55 cm                                    |
| Inside dimensions:       | 49 cm x 32,5 cm x 29 cm                         |
| Accessory compartment:   | 10 cm x 15,5 cm x 29 cm                         |
| Device compartment:      | 18 cm x 15,5 cm x 29 cm                         |
| Color:                   | Black, laminated                                |
| Material:                | Plywood multi-layer glued, 7 mm                 |
| Transport aid:           | Castors   |
| Lock:                    | Butterfly lock: 2 pc/pcs with shut-off function |
| Stop hinge:              | 2 pc/pcs  |
| Case handle:             | 2 pc/pcs  |
| Aluminum profile frames: | 30 mm   |
| Maximum load:            | 50 kg   |