

EUROLITE Set 4x LED Party Panel RGB+UV + Soft Bag

Art. No.: 20000962

GTIN: 4026397720884



List price: 355.81 €

incl. 19% VAT.

Features:

EUROLITE LED Party Panel RGB+UV

LED party panel with RGB+UV color mixing and DMX

- 9 powerful LEDs 4 W SMD 9080 4in1 QCL RGB/UV (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic
- Strobe effect; UV effect
- Integrated show programs
- Direct color selection for 17 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone; IR remote control
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- With a beam angle of 15°
- With double bracket
- 4 digit 7-segment LED display
- For application areas such as: Party room; small rental
- Silent operation
- Application possibility: Suspended; on stand

Package contents

- 1 x spotlight, 1 x remote control, 1 x battery, 1 x user manual

Logistic

EAN / GTIN: 4026397720884

Weight: 4,50 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

EUROLITE SB-13 Soft Bag

- With 3 dividers

- With 4 compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
- 2 carrying straps

Package contents

- 1 x bag

Technical specifications:

| | |
|---------|---------|
| Weight: | 3,24 kg |
|---------|---------|

EUROLITE LED Party Panel RGB+UV

| | |
|-------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 13 W |
| IP classification: | IP20 |
| Protection class: | Protection class II |
| Power connection: | Fixed power supply cord with Euro plug |
| Fuse: | Fuse serviceable |
| Lamp type: | LED lamp |
| LED type: | 9 x 4 W SMD 9080 4in1 QCL RGB/UV (homogenous color mix) |
| Flash rate: | 0 - 20 Hz |
| DMX channels: | 3; 4; 8 |
| DMX input: | 1 x 3-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone; DMX; sound to light via microphone; IR remote control |
| Preprogrammed in: | Light´J; LED PC-Control 512; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief |
| Projection: | Flicker-free |
| Beam angle: | 15° |
| Beam angle (1/2 peak): | 15° |
| Beam angle (1/10 peak): | 31° |
| Housing color: | Black |
| Attachment system: | Double bracket |
| Display type: | 4 digit 7-segment LED display |
| Material: | Plastic |
| Dimensions: | Width: 15 cm Depth: 5,1 cm Height: 15 cm |
| Weight: | 0,75 kg |
| Noise classification: | Class 0 (no noise at all) |
| Power cord | |
| Cable construction: | 2 x 0,75 mm² H05VVH2-F |

| | |
|--------------------------|---|
| Cable length: | Approx. 1,1 m |
| Mounting bracket | |
| Diameter mounting holes: | 1 x Ø11mm |
| Material: | Metal, 1,4 mm |
| Remote control | |
| Battery: | 1 x button cell 3.0 V CR2025 lithium manganese built-in |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE SB-13 Soft Bag

| | |
|-----------------|--|
| Maximum load: | 10 kg |
| Carrying strap: | 2 pc/pcs |
| Material: | Nylon |
| Color: | Black, water repellent |
| Dimensions: | Length: 41 cm Depth: 16 cm Height: 19 cm |
| Weight: | 0,26 kg |