



Features:

EUROLITE LED Silent Par 6 QCL Floor wh

LED floor spot with RGB/WW color mixing

- 14350 lux at 1 m
- 6 LEDs 8 W 4in1 QCL RGB/WW (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Dimmer speed (step response) adjustable
- Strobe effect
- Direct color selection for 25 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; QuickDMX via USB (optional); master/slave function; sound to light via microphone
- Fixtures available for Light´J; Light Captain; Colorchief
- Flicker-free
- With a beam angle of 16°
- With mounting bracket; with double bracket
- 4 digit 7-segment LED display
- For application areas such as: Stage; clubs/dancing school; decoration; wedding/gala/events; Trade fair and shop fitting; mobile djs / entertainer; party room; restaurants, bars and hotels; theater; advertisement/Shop window
- Silent operation
- Application possibility: Standing; suspended; on stand

EUROLITE SB-13 Soft Bag

Transport bag

Logistic

EAN / GTIN: 4026397720921

Weight: 6,00 kg

Length: 0.00 m

Width: 0.00 m

Heigh: 0.00 m

- With 3 dividers
- With 4 compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
- 2 carrying straps

Technical specifications:

Weight: 4.56 kg

EUROLITE LED Silent Par 6 QCL Floor wh

| | |
|-------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 45 W |
| IP classification: | IP20 |
| Protection class: | Protection class I |
| Power connection: | Mains input via P-Con (blue), mounting version power supply cord with safety plug |
| Power output: | P-Con (gray), mounting version |
| Lamp type: | LED lamp |
| LED type: | 6 x 8 W 4in1 QCL RGB/WW (homogenous color mix) |
| Flash rate: | 0 - 20 Hz |
| DMX channels: | 6; 11 |
| DMX input: | 3-pin XLR (M) mounting version |
| DMX output: | 3-pin XLR (F) mounting version |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone; DMX; QuickDMX via USB (optional); master/slave function; sound to light via microphone |
| Fixtures available for: | Light J; Light Captain; Colorchief |
| Projection: | Flicker-free |
| Beam angle: | 16° |
| Beam angle (1/2 peak): | 16° |
| Beam angle (1/10 peak): | 29° |
| Housing color: | White |
| Attachment system: | Mounting bracket Double bracket Double bracket |
| Display type: | 4 digit 7-segment LED display |
| Dimensions: | Length: 14.5 cm Width: 18.0 cm Height: 20.5 cm |
| Weight: | 2.15 kg |
| Noise classification: | Class 0 (no noise at all) |
| Special product: | Not designed for household room illumination |

Intended use: Show effect lighting

EUROLITE SB-13 Soft Bag

| | |
|-----------------|--|
| Maximum load: | 10 kg |
| Carrying strap: | 2 pc/pcs |
| Material: | Nylon |
| Color: | Black, water repellent |
| Dimensions: | Length: 41 cm Depth: 16 cm Height: 19 cm |
| Weight: | 0.26 kg |

Scope of delivery:

2 x EUROLITE LED Silent Par 6 QCL Floor wh

- 1 x spotlight
- 1 x power cord
- 1 x user manual
- 1 x XLR cable

1 x EUROLITE SB-13 Soft Bag

- 1 x bag