



List price: 2557.31 €

incl. 19% VAT.

Features:

EUROLITE Multiflood IP 8x10W RGBW Wash

Silent IP65 LED floodlight with RGBW color mixing, diffuser cover, barn doors and IR remote control

- Silent operation
- Control via stand-alone; DMX; Master/slave function; IR remote control; RDM
- Additional frost filter provides a wide, soft and homogeneous light
- 4 barn doors to avoid blinding the audience and for protection during transport
- 8 powerful LEDs 10 W high-power 4in1 QCL RGBW (homogenous color mix)
- 36 integrated show programs
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Dimmer speed (step response) with adjustable response; white balance
- Strobe effect
- 3 buttons on the remote control for saving your own settings
- With a beam angle of 10°
- With Mounting bracket; with Omega bracket
- OLED display
- Flicker-free
- Mains input and output for power linking up to 8 units
- Suitable for outdoor use IP65
- With pressure compensation membrane
- With a KENSINGTON LOCK theft protection
- For application areas such as: Stage; architecture; mobile use; Rental
- The device is cooled by passive convection cooling
- Preprogrammed in Light Captain; LED PC-Control 512; Light 'J
- Application possibility: Suspended; on stand; standing

Package contents

Logistic

EAN / GTIN: 4026397527698

Weight: 55,50 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

Bulky product

- 1 x device, 1 x user manual, 1 x power cord, 1 x remote control, 1 x diffuser cover, 1 x omega bracket, 1 x barndoor, 1 x battery

ROADINGER Flightcase 4x Multiflood IP 8x10W RGBW Wash

Trunk case with castors

- Interior with foam padding
- Aluminum profile frames 35mm with rounded edges
- 4 hinged, chromium plated case handles
- Edge mounting handle
- 3 chrome tip-over locks
- 2 high-quality butterfly locks
- 2 castors with 2 locking brakes
- 4 built-in stacking trays in the cover

Technical specifications:

Weight: 54,30 kg

EUROLITE Multiflood IP 8x10W RGBW Wash

| | |
|-------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 80 W |
| IP classification: | IP65 |
| Protection class: | Protection class I |
| Power connection: | Mains input via IP T-Con (M) mounting version power supply cord with safety plug (provided) |
| Power output: | IP T-Con (F) mounting version |
| Lamp type: | LED lamp |
| LED: | 8 x 10 W high-power 4in1 QCL RGBW (homogenous color mix) |
| Flash rate: | 1 - 23 Hz |
| DMX channels: | 3; 4; 6; 8; 11 |
| DMX input: | 3-pin XLR (M) mounting version IP |
| DMX output: | 3-pin XLR (F) mounting version IP |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone; DMX; Master/slave function; IR remote control; RDM |
| Preprogrammed in: | Light Captain; LED PC-Control 512; Light 'J |
| Projection: | Flicker-free |
| Beam angle: | 10° |
| Beam angle (1/2 peak): | 10° Frost filter 25° |
| Beam angle (1/10 peak): | 25° Frost filter 55° |
| Housing color: | Black |
| Attachment system: | Mounting bracket Omega bracket |

| | |
|-----------------------|---|
| Display type: | OLED display |
| Theft protection: | KENSINGTON LOCK |
| Dimensions: | Length: 31,9 cm Width: 14 cm Height: 24,8 cm |
| Weight: | 6,10 kg |
| Noise classification: | Class 0 (no noise at all) |
| Remote control | |
| Battery: | 1 x Button cell 3.0 V CR2032 lithium manganese built-in |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 4x Multiflood IP 8x10W RGBW Wash

| | |
|--------------------------|---|
| Aluminum profile frames: | 35 mm |
| Case handle: | 4 pc/pcs |
| Edge mounting handle: | 1 pc/pcs |
| Stop hinge: | 3 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Transport aid: | 2 x castors with 2 locking brakes 4 x built-in stacking trays in the cover |
| Color: | Black, laminated |
| Device compartment: | 15 cm x 46 cm x 30 cm |
| Accessory compartment: | 8,5 cm x 46 cm x 30 cm |
| Material thickness: | 9 mm |
| Dimensions: | Width: 87,5 cm Depth: 53 cm Height: 55,5 cm |
| Weight: | 25,75 kg |