

EUROLITE Set 4x AKKU Mini UP-4 QCL Spot MK2 + Soft bag

Art. No.: 20001031

GTIN: 4026397739510



List price: 534.31 €

incl. 19% VAT.

Features:

EUROLITE AKKU Mini UP-4 QCL Spot MK2

Mini battery-powered uplight with RGBW LEDs and IR remote control

- Cordless, flexible and versatile
- Battery operation up to 9h depending on program used
- Integrated automatic charging of the battery and status indicator
- 4 powerful LEDs 4 W 4in1 QCL RGBW (homogenous color mix)
- Color change adjustable; color fade adjustable; color blend stepless
- Strobe effect; uplight effect
- Direct color selection for 10 preset colors
- The device is cooled by passive convection cooling
- Control via IR remote control; stand-alone; sound to light via microphone
- Flicker-free
- With a beam angle of 18°
- 4 digit 7-segment LED display
- For application areas such as: Wedding/gala/events; mobile use; mobile djs / entertainer; small rental
- Silent operation
- Application possibility: Standing

Package contents

- 1 x device, 1 x user manual, 1 x remote control, 1 x battery, 1 x USB cable

Logistic

EAN / GTIN: 4026397739510

Weight: 4,50 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

EUROLITE Softbag for 4x AKKU Mini UP-4 QCL Spot MK2

Nylon transport bag

- With 4 device compartments

- With accessory compartment
- High-quality workmanship with nylon , black
- Interior with foam padding
- 2 carrying straps

Technical specifications:

| | |
|---------|---------|
| Weight: | 3,33 kg |
|---------|---------|

EUROLITE AKKU Mini UP-4 QCL Spot MK2

| | |
|-------------------------|--|
| Power supply: | 5V |
| IP classification: | IP20 |
| Protection class: | Protection class III |
| Power connection: | Battery/battery pack Mains input via USB C (W) mounting version |
| Battery pack type: | 3 x lithium ion 3,6 V, 2600 mAh, 9,36 Wh |
| Battery pack: | Battery operation up to 9h depending on program used Recharging time 5h |
| Lamp type: | LED lamp |
| LED type: | 4 x 4 W 4in1 QCL RGBW (homogenous color mix) |
| Flash rate: | 1 - 28 Hz |
| Cooling: | Passive convection cooling |
| Control: | IR remote control; stand-alone; sound to light via microphone |
| Projection: | Flicker-free |
| PWM frequency: | 15000 Hz |
| Beam angle: | 18° |
| Beam angle (1/2 peak): | 18° |
| Beam angle (1/10 peak): | 38° |
| Housing color: | Black |
| Display type: | 4 digit 7-segment LED display |
| Dimensions: | Length: 11 cm Width: 11 cm Height: 12 cm |
| Weight: | 0,73 kg |
| Noise classification: | Class 0 (no noise at all) |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE Softbag for 4x AKKU Mini UP-4 QCL Spot MK2

| | |
|-----------------|----------|
| Carrying strap: | 2 pc/pcs |
|-----------------|----------|

| | |
|---------------------|--|
| Material: | Nylon, water repellent |
| Color: | Black |
| Device compartment: | 11 cm x 11 cm x 8 cm |
| Dimensions: | Length: 35,5 cm Depth: 29 cm Height: 10 cm |
| Weight: | 0,39 kg |