

EUROLITE LED Mini D-20 Hybrid Beam Effect

Bright LED derby and strobe hybrid in a handy size

Art. No.: 51918202

GTIN: 4026397552324



Description:

This LED derby effect by Eurolite transforms small and medium-sized rooms into an ocean of colors automatically adjusting to the rhythm of the music.

The Mini D-20 can either be controlled via stand-alone mode or connected to a DMX controller. In either way, the high-performance RGBW LEDs even cut through smoky air which makes this derby effect perfectly suitable for light shows of any kind, be it a presentation at a trade fair, a party in a club or a private party. You can choose from multiple different programs such as static colors, sound-controlled lighting effects and rapid strobe effects and more!

The low energy consumption, the long life of each diode and the low heat development are the main benefits of the LED technology. If you do not own a DMX controller, you can also use the supplied IR remote control to coordinate your show. Using the feed-through output to link up to eight fixtures to illuminate a wider area is also an option.

Features:

- 2 strips with white LEDs provide fast, dynamic strobe effects
- 16 LEDs 0.5 W SMD 5730 cold white (CW)
- 4 LEDs 3 W high-power 4in1 QCL RGBW LEDs controlled separately
- Rotation speed stepless
- Multi beam effect; strobe effect
- Integrated show programs; 18 integrated show programs
- Direct color selection for 14 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function
- Fixtures available for Light'J; LED PC-Control 512; EASY SHOW 1; Light Captain; Colorchief

Logistic

EAN / GTIN: 4026397552324

Weight: 2,15 kg

Length: 0.31 m

Width: 0.27 m

Height: 0.20 m

- With mounting bracket
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer; decoration
- Very quiet working noise
- Application possibility: Suspended; on stand

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	30 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug included
Power output:	1 x IEC connector (F) mounting version
Fuse:	T 1 A fuse replaceable
Lamp type:	LED lamp
LED type:	16 x 0.5 W SMD 5730 cold white (CW) 4 x 3 W high-power 4in1 QCL RGBW
Flash rate:	0 - 20 Hz
DMX channels:	1; 4
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function
Fixtures available for:	Light J; LED PC-Control 512; EASY SHOW 1; Light Captain; Colorchief
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Material:	Metal
Dimensions:	Width: 26 cm Depth: 18.7 cm Height: 18.7 cm
Weight:	1.75 kg
Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments)
Cable construction:	3 x 0.75 mm ² H05VV-F
Cable length:	Approx. 1.4 m
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Diameter mounting holes:	1 x Ø10mm
Material:	Metal, 2 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

Scope of delivery:

- 1 x light effect
- 1 x user manual
- 1 x power cord
- 1 x remote control
- 1 x battery