

EUROLITE LED EVO-120 QCL Multi Effect Projector

Innovative projection effect with magnetically interchangeable effect wheels

Art. No.: 51918551

GTIN: 4026397752403



List price: 534.31 €

incl. 19% VAT.

Description:

This lighting effect offers exceptionally versatile creative possibilities. It comes with four effect wheels, two of which can be easily inserted using magnetic mounts. The set includes two textured glass wheels, an animation wheel, and a gobo wheel.

Combining two textured glass wheels creates the classic water effect. When paired with the animation wheel, it produces a crystal-like effect with fascinating light refractions. The gobo wheel can be used for standard projections or combined with the textured glass or animation wheel to add an extra layer of movement. The included motifs feature hearts, flames, a snowflake, a Halloween pumpkin, as well as a texture for simulating clouds or water.

The EVO-120 is powered by a 120 W RGBW LED. Thanks to its silent mode, which enables virtually noiseless operation, this fixture is suitable not only for parties but also for small to mid-sized theater and show stages.

Logistic

EAN / GTIN: 4026397752403

Weight: 5,80 kg

Length: 0.42 m

Width: 0.32 m

Height: 0.28 m

Features:

- 2 structure wheels, 1 animation wheel and 1 gobo wheel with 5 depictions included in the delivery
- Up to 2 wheels can be easily inserted via magnetic attachment systems
- Depending on the wheel combination, the sharpness setting and color choice, the effect produced is completely different
- 1 LED 120 W COB (chip-on-board) 4in1 QCL RGBW
- Exact 16 bit resolution at Dimmer, color, gobo rotation
- Gobo wheel with static gobos; focus manual; animation wheel; texture wheel
- Dimmer electronic; dimmer curves with adjustable response; Dimmer speed (step response); pulse-width modulation adjustable; Rotation speed adjustable; Rotation direction adjustable; color fade adjustable

- Water effect; gobo effect; crystal effect
- Gobo wheel with static gobos, 5 gobos
- The device is cooled by temperature-controlled fan
- Control via DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB; RDM; stand-alone; master/slave function
- Flicker-free
- DMX fail mode (blackout; hold)
- With a beam angle of 35°
- With mounting bracket
- Monochrome OLED display
- Mains input and output for power linking up to 8 units
- Built with SEETRONIC connector
- For application areas such as: Stage; clubs/dancing school; decoration; wedding/gala/events; mobile djs / entertainer; restaurants, bars and hotels; theater; video and photography; advertisement/Shop window
- Very quiet working noise
- Application possibility: Suspended; on stand; wall mounting
- Fixtures available for Light Captain

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	120 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug
Cable construction:	3 x 1.5 mm ² H05VV-F
Power output:	P-Con (gray), mounting version
Fuse:	5 x 20 mm, T 2 A
Lamp type:	LED lamp
LED type:	1 x 120 W COB (chip-on-board) 4in1 QCL RGBW
Flash rate:	1 - 37 Hz
Equipment:	Gobo wheel with static gobos; focus manual; animation wheel; texture wheel
Gobos:	Gobo wheel with static gobos, 5 gobos
DMX channels:	6; 10; 17; 20
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x temperature-controlled fan
Control:	DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB; RDM; stand-alone; master/slave function
Fixtures available for:	Light Captain
Projection:	Flicker-free
DMX fail mode:	Blackout; hold
Beam angle:	35°
Beam angle (1/2 peak):	35°
Beam angle (1/10 peak):	35°
Housing color:	Black
Attachment system:	Mounting bracket

Display type:	Monochrome OLED display
USB port:	1 x type A
Diameter mounting holes:	3 x Ø10mm
Use of brands:	Built with SEETRONIC connector
Material:	Steel
Dimensions:	Length: 25.2 cm Width: 30.0 cm Height: 27.3 cm
Weight:	4.90 kg
Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments) depending on mode used
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

Scope of delivery:

- 1 x light effect
- 1 x power cord
- 1 x user manual
- 4 x effect wheel