

## EUROLITE LED H2O TCL Water Effect

Compact water effect with RGB color mixing and IR remote control

Art. No.: 51918698

GTIN: 4026397613032



**List price: 47.48 €**

incl. 19% VAT.

### Description:

This compact LED spot by Eurolite brings RGB colors in every window display, party room or trade fair! Light up the room in any color you like to impress your audience.

The H2O Water Effect is operated via the supplied remote control which is not bigger than a credit card and fits even in the smallest pocket. You can adjust e.g. the flash rate of the stroboscope and the rotation speed of the integrated effect wheel.

For a permanent installation you can simply use the pre-punched hole on the bracket of the fixture. As the spot is delivered ready to use, all you have to do is install it and switch it on - plug and power cord are included.

Once you plugged in the H2O, you can use preset programs like slowly fading colors, rapid color changes, strobe effects or constant light in a single color. These programs are available in sound-controlled mode (via the integrated microphone) or automatic mode. It is entirely up to you to make the most of your event!

### Features:

- Compact LED projector with rotating effect wheel
- 1 powerful LED high-power 3in1 TCL RGB
- Color blend stepless
- Flower effect; Strobe effect
- Integrated show programs
- Direct color selection for 6 preset colors
- The device is cooled by passive convection cooling
- Control via IR remote control; stand-alone; Sound to light via Microphone
- With a beam angle of 30°

### Logistic

EAN / GTIN: 4026397613032

Weight: 0,34 kg

Length: 0.17 m

Width: 0.12 m

Height: 0.07 m

- With Mounting bracket
- For application areas such as: Advertisement/Shop window; Party room; Clubs/dancing school; Installation; restaurants, bars and hotels
- Silent operation; very quiet working noise
- Application possibility: Suspended; on stand

**Package contents**

- 1 x device, 1 x external mains adapter, 1 x remote control, 1 x user manual

**Technical specifications:**

Power supply:	5 V DC
Pin configuration:	Inside + / outside -
Power consumption:	Max. 5 W
IP classification:	IP20
Protection class:	Protection class III
Power connection:	Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
Lamp type:	LED lamp
LED:	1 x high-power 3in1 TCL RGB
Cooling:	Passive convection cooling
Control:	IR remote control; stand-alone; Sound to light via Microphone
Beam angle:	30°
Beam angle (1/2 peak):	30°
Beam angle (1/10 peak):	70
Housing color:	Black
Attachment system:	Mounting bracket
Material:	Aluminum
Dimensions:	Width: 12,3 cm Depth: 12,5 cm Height: 10,5 cm
Weight:	280 g
Noise classification:	Class 0 (no noise at all); class 1 (very slight noise, suitable for noise-sensitive environments)
<b>Mounting bracket</b>	
Diameter mounting holes:	1 x Ø10mm
Material:	Aluminum, 1 mm
Color:	Black
<b>External mains adapter</b>	
Power supply:	100-240 V AC, 50/60 Hz
IP classification:	IP20
Protection class:	Protection class II
Cable length:	Approx. 1,8 m
Output:	5 V DC; 1,0 A; 5 W
Color:	Black
<b>Remote control</b>	

Battery:

1 x Button cell 3.0 V CR2025 lithium manganese  
built-in

---