

OMNITRONIC LH-120 Dual Stereo Extender

Passive CAT-5 extender for audio signals

Réf. : 10355120

GTIN: 4026397461244



L'article n'est plus disponible.

Description:

The OMNITRONIC LH-120 is a passive CAT-5 extender which allows transmission of two stereo audio signals over a single network cable (UTP/CAT-5 and higher) in a point-to-point connection. Used in pairs, the extender allows four coax audio cables to be replaced by a single CAT-5 cable up to a distance of 600 meters. Its compact design and easy installation makes the extender ideal for custom commercial and home audio systems, intercom systems, rental and staging systems and AV conference systems.

Logistique

EAN / GTIN: 4026397461244

Poids: 0,30 kg

Longueur: 0.20 m

Largeur: 0.14 m

Hauteur: 0.04 m

Caractéristiques:

- Cost-efficient transmission of stereo audio signals up to 600 meters
- For unshielded twisted pair cables and CAT-5 or higher network cables
- For universal applications as a transmitter or receiver
- Stereo audio connection via 2 x RCA L/R
- Cable connection via RJ45 jack
- Passive, no power supply required

Données techniques:

Longueur du câble: Max. 600 m

Impédance: 100 Ohm

Dimension: Largeur : 9,3 cm
Profondeur : 8,3 cm
Hauteur : 3,1 cm

| | |
|------------------------------|--|
| Poids: | 250 g |
| Suitable transmission cable: | twisted pair cable, e.g. CAT-5/5e/6 0.25 mm ² (AWG 24) |
| Impedance: | 100 ohms/1 MHz |
| Max. capacitance: | 200 pF/ft |
| Attenuation: | 6.6 dB per 300 m/1 MHz |
| Source impedance: | 100-600 ohms |
| Receiver impedance: | 10-100 kohms |
| Connection: | 4 x RCA, 1 RJ34 |
| Pin configuration: | audio 1: pin 7 (R) & 8 (T), audio 2: pin 4 (R) & 5 (T), audio 3: pin 1 (R) & 2 (T), audio 4: pin 3 (R) & 6 (T), |