

EUROLITE LED MFX-2 Beam Effect

Small moving effect with 2 LED heads and 4 beams with unlimited PAN/TILT

Réf. : 50944302

GTIN: 4026397571486



L'article n'est plus disponible.

Description:

High LED power with unlimited rotation

The LED MFX-2 Beam Effect by Eurolite is a compact RGBW beam effect with 2 ultra-fast moving heads with unlimited pan and tilt rotation and precise 16-bit resolution for a thrilling light show. Both heads are individually controllable and fitted with powerful 10-watt LEDs that will bring you brilliant, razor sharp beams of light with a narrow 2° beam angle. The 4in1 quad-color technology (red, green blue and white) enables particularly homogeneous color mixtures.

The LED MFX-2 can be controlled in one of two DMX modes or via external sound sources, offers 4 automated programs, dimming and strobe effects and can be operated as stand-alone, master or slave device. The LED display with four operating buttons makes for easy configuration.

The MFX-2 is cooled by a particularly silent fan and features 3-pin DMX connectors and an IEC connector for power supply. It can be operated with voltages between 100 and 240 volts and weighs only around 3 kg.

Caractéristiques:

- With Infinity function for unlimited PAN and TILT movement
- TILT movement for each LED head separately and steplessly adjustable
- Equipped with four 10 W quadcolor LEDs with RGBW colors
- Narrow beam angle
- Compact lightweight
- Functions: Colored beams in R, G, B and W, auto mode, color presets, Master/Slave function, built-in programs
- Stepless RGBW color mixture

Logistique

EAN / GTIN: 4026397571486

Poids: 3,60 kg

Longueur: 0,37 m

Largeur: 0,18 m

Hauteur: 0,28 m

- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Addressing via control panel with 4-digit LED display
- Switch-mode power supply for operation between 100 and 240 volts
- Feed-through output allows to power up to 8 devices
- Ready for connection with power cord and safety plug
- 4 LED puissantes 10 W high-power 4in1 QCL RGBW
- Positionnement exact (résolution 16 bits)
- Effet rayons
- L'appareil est refroidi par ventilateur
- Commandé via stand-alone; DMX; Commande de la musique via Microphone
- Déjà préprogrammé pour %: LED PC-Control 512; Light Captain
- Exempt de scintillements
- Avec un Angle de départ de 2°

Données techniques:

Alimentation électrique:	100-240 V CA, 50/60 Hz
Puissance totale de raccordement:	55 W
Type de protection:	IP20
Branchement électrique:	Alimentation électrique via Appareils froids (M) version encastrable Câble d'alimentation à prise contact de protection (inclus dans la livraison)
Sortie de courant:	1 x Appareils froids (F) version encastrable
Type de lampe:	Lampe LED
LED:	4 x 10 W high-power 4in1 QCL RGBW
Mouvement de basculement max.TILT:	Positionnement exact (résolution 16 bits) plus infini
Mouvement de pivotement max. PAN:	Positionnement exact (résolution 16 bits) plus infini
Fréquence du flash:	0 - 18 Hz
Canaux DMX:	21; 28
Entrée DMX:	1 x XLR (M) 3 broches version encastrable
Sortie DMX:	1 x XLR (F) 3 broches version encastrable
Refroidissement:	Ventilateur
Commande:	Stand-alone; DMX; Commande de la musique via Microphone
Préprogrammé dans:	LED PC-Control 512; Light Captain
Projection:	Exempt de scintillements
Angle de départ:	2°
Angle de départ (1/2 pic):	2°
Puissance d'éclairage en lux (lx):	Rouge (R) 3 m : 913 lx, 6 m : 182 lx Vert (G) 3 m : 915 lx, 6 m : 228 lx B bleu 3 m : 252 lx, 6 m : 63 lx Blanc froid (CW) 3 m : 936 lx, 6 m : 232 lx
Couleur du boîtier:	Noir
Dimension:	Largeur : 12 cm Profondeur : 19,6 cm Hauteur : 35 cm
Poids:	3,10 kg

Spécifications juridiques

Produit spécial: Non destiné à l'éclairage de la pièce dans les ménages

Utilisation: Éclairage pour effets de spectacle
