


FUTURELIGHT PHS-200 PRO-Head Spot

Mini Moving Head

Réf. : 51838165

GTIN: 4026397125467



L'article n'est plus disponible.

Caractéristiques:

- DMX-controlled operation or stand-alone operation with Master/Slave function
- 48 preprogrammed scenes in Program Run for stand-alone operation
- Number of scenes in Program Run can be changed individually
- The scenes in Program Run can be modified via the Control Board or via an external controller and loaded into the memory
- 8 built-in programs can be called up via DMX controller
- Sound-controlled via built-in microphone
- 9 brilliant, dichroic colors plus white
- Switchable color change (mode 1: only full colors, mode 2: color-change at every position)
- Rainbow effect with adjustable speed in both directions
- Gobo-wheel with 7 rotating gobos plus open
- With gobo-shake function
- Manual focus
- Strobe effect with 1-10 flashes per second
- Positioning within 360° Pan and 265° Tilt
- Lightbeam with 13° radiation angle
- Control board with 4-digit display and foil-keyboard for adjusting the DMX-starting address, Pan/Tilt-Reverse, Program, Reset, lamp on/off
- For MSD/HSD 250 or MSD 250/2 lamp
- DMX control via every standard DMX controller
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

Logistique

EAN / GTIN: 4026397125467

Poids: 19,85 kg

Longueur: 0.57 m

Largeur: 0.45 m

Hauteur: 0.45 m

Données techniques:

Alimentation électrique:	230 V AC, 50 Hz
Puissance totale de raccordement:	400,00 W
DMX channels:	8
DMX connection:	3-pin XLR
Flash-rate:	10 Hz
Color-wheel:	9 dichroic filters and open
Rotating gobo-wheel:	7 gobos and open
Outside diameter of the gobos:	25 mm
Image diameter of the gobos:	20 mm
Maximum PAN-movement 360°:	in 2.0 s
Maximum TILT-movement 265°:	in 1.5 s
Length of base:	380 mm
Width of yoke:	330 mm
Height (head horizontal):	450 mm
Weight:	15 kg
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle