

## OMNITRONIC MMP-1 SD/USB mixer/player

PRO dual MP3 player and audio mixer for DJs

Réf. : 11045010

GTIN: 4026397349252



### Caractéristiques:

- Dual MP3 player and 2-channel mixer for storage media with up to 32 GB
- 2 slots for SD cards (compatible with SDHC cards)
- 2 USB 2.0 ports for USB devices (e.g. USB stick, MP3 player)
- Both decks can read simultaneously from the same slot
- Unlimited anti-shock system
- Full CBR/VBR MP3 support
- Up to 6400 songs (with 5 MB/MP3 file) on 32 GB storage media possible
- Outstanding reading time of the MP3 files (instant start within 10 ms)
- 2 alphanumeric LCDs support ID3V2 tags (song title, artist, genre, bit rate)
- Replaceable crossfader with VCA technology for crossfading between both input channels
- Selectable operating mode: 2 separate stereo outputs or mixed signal to 1 stereo output
- Gain controls, 2-way equalizer and channel faders for the input channels
- Pre-fader listening to the stereo input channels via adjustable headphones output, with cue pan control
- Folder and track search
- Easy-turning jog dial with mode selector (fast or frame search) and Pitch Bend function
- Automatic beat counter (switchable to manual operation)
- Seamless Loop/Reloop function
- Pitch adjustment  $\pm 4\%$ ,  $\pm 8\%$  or  $\pm 16\%$
- Pitch Bend
- Real-time Cue ("on the fly")
- 4 cue point hotkeys for cue points and loop
- Single or continuous play
- Repeat function
- Relay function
- Fader start

### Logistique

EAN / GTIN: 4026397349252

Poids: 3,05 kg

Longueur: 0.59 m

Largeur: 0.20 m

Hauteur: 0.14 m

- Display switchable from track remain time to track playback time
- Bargraph display
- Future-proof thanks to firmware updates via internet downloads
- Operation via supplied power unit
- Rack installation, 3 U
- 3 HE

## Données techniques:

|                                   |                                                                                   |
|-----------------------------------|-----------------------------------------------------------------------------------|
| Puissance totale de raccordement: | 10,00 W                                                                           |
| Plage de fréquence:               | 17 - 16000 Hz                                                                     |
| Conception du boîtier:            | 3 HE                                                                              |
| Dimension:                        | Largeur : 48,3 cm<br>Profondeur : 26 cm<br>Hauteur : 4,45 cm                      |
| Poids:                            | 2,60 kg                                                                           |
| Power supply:                     | 230 V AC, 50 Hz,<br>via supplied power unit 6 V DC, 1.5 A                         |
| Type:                             | dual SD/USB mixer/player                                                          |
| Storage media:                    | SD(HC), USB with max. 32 GB capacity                                              |
| Distortion:                       | 0.011 %                                                                           |
| S/N ratio:                        | 99 dB                                                                             |
| Channel separation:               | 97 dB                                                                             |
| Audio output:                     | 2 x RCA, unbalanced                                                               |
| Output voltage:                   | 2 V/ ohms                                                                         |
| Headphones output:                | 6.3 mm stereo jack, 80 mW/ 32 ohms                                                |
| Fader start output:               | 2 x 3.5 mm jack (1/8")                                                            |
| Tone control:                     |                                                                                   |
| 2 x High:                         | -26 dB to +10 dB/ 10 kHz                                                          |
| 2 x Low:                          | -26 dB to +10 dB/ 100 Hz                                                          |
| Frame accuracy:                   | 1/75 sec                                                                          |
| Pitch adjustment:                 | ±4 %, ±8 %, ±16 %                                                                 |
| Display:                          | ID3 tag, elapsed time or remain time                                              |
| MP3 formats:                      |                                                                                   |
| MPEG-1 Layer-3 (ISO/IEC 1172-3):  | mono/stereo sampled at: 32, 44.1 and 48 kHz<br>32-320 kbps; CBR, VBR, VRBI, Xing  |
| MPEG-2 Layer-3 (ISO/IEC 13818-3): | mono/stereo sampled at: 16, 22.05 and 24 kHz<br>32-160 kbps; CBR, VBR, VRBI, Xing |
| MPEG-2.5 Layer-3:                 | mono/stereo sampled at: 8, 11.025, 12 kHz<br>32-160 kbps; CBR, VBR, VRBI, Xing    |
| Applicable file extensions:       | .mp3 .MP3 .mP3 .Mp3                                                               |
| Max. file size:                   | 341 MB/ 233 min.                                                                  |
| Max. number of files:             | 999                                                                               |
| Max. number of folders:           | 999                                                                               |
| Dimensions:                       | 482 x 75 x 132 mm<br>Rack installation, 3 U                                       |

**Contenu de la livraison:**

---